

Statistical Branch
R. G. S.

1868.

NEW SOUTH WALES.

VITAL STATISTICS.

TWELFTH ANNUAL REPORT

FROM

THE REGISTRAR GENERAL, ON VITAL STATISTICS.

Presented to both Houses of Parliament, by Command.



SYDNEY :

THOMAS RICHARDS, GOVERNMENT PRINTER, PHILLIP-STREET.

1868.

*Regd Genl
to motto*

1868.

VITAL STATISTICS.

THE REGISTRAR GENERAL to THE HONORABLE THE COLONIAL SECRETARY,

TRANSMITTING ABSTRACTS OF

MARRIAGES, BIRTHS, AND DEATHS,

FOR THE YEAR 1867, WITH PREFATORY REPORT.

Registrar General's Office,
Sydney, 25 August, 1868.

SIR,

I have the honor to submit to you my Report on the results of Registration in the year 1867.

33,800 additional names were inscribed on the registers of the Colony during the period referred to. At the termination of the year, the Registration Act, 19 Vic., No. 34, had been in operation nearly thirteen years; and the aggregate number of names entered on the records of persons who had been married, of those who had died, and of children born, then represented the accumulated product of 329,184.

The success of the working of the Registration Act, like that of any other measure, must of course rest, to an extent that it would be difficult to overestimate, upon the facilities afforded to the public for complying with its provisions, the character and qualifications of the officers to whom it is intrusted, and upon the desire of the Legislature to give effect to such amendments in the law as experience may suggest.

In my Report covering the Tables for the year 1866, I endeavoured concisely to point out the necessity of divisional changes in the Registration Districts, and of further, as well as more direct supervision over the large number of offices established under the Act throughout the Colony. A high appreciation of the advantages of the system prompts me to refer to those recommendations, in the hope that they may be considered worthy of attention on the part of the Government, and that their recognition may eventuate in the introduction of an amended Registration Bill during the next Session of Parliament. In reference to this subject, I may perhaps be permitted to remark, that if it has been found requisite to appoint Inspecting Officers over the Branch Post Offices and Educational Establishments scattered over the country, to enforce the regulations of those Departments, and to act as a check upon irregularities, how much more important does it appear that the strictest scrutiny should be exercised, by properly constituted officers over the District Registry Offices—the depositories of those proofs which bear upon the

the right of legal succession to property, in which every individual in the community is more or less interested. The perfecting of the registration system, by every means within the power of the Government, viewed from whatever point it may be, is calculated to achieve results of the highest importance to the Colony, and, as a consequence, to all those bound up in its welfare.

Results of year's registrations.

The Statistical Abstracts shew that, during the year, 6,852 persons were married, that 18,317 births were recorded, and that 8,631 deaths were registered.

Population.

The natural increase of population for the year ended 31st December last, calculated upon the excess of births over deaths, was 9,686, which added to the number of arrivals over departures seaward (6,522), shews the estimated population of the Colony, upon the date referred to, to have been 447,622, or 248,517 males to 199,105 females; the net increase to the numbers of the people for the twelve months being 16,208.

Census.

These figures, however, as I have on other occasions observed, are but an approximation, and can only be rectified upon the results of a Census being known. When, therefore, it is considered that a correct enumeration of the population forms the basis of administrative measures, as well as of almost every statistical comparison, whether as relating to the affairs of State, commercial enterprise, or the social condition of the people, the value of a periodical Census cannot be overestimated.

Marriage, birth, and death rates.

The marriages in 1867 were 36 less than those recorded in 1866, and 152 below the number registered in 1865.

The births were 1,367 in excess of those entered on the registers in 1866.

The deaths exhibited an increase of 1,270 over those which occurred in the previous year.

The rate of marriages on estimated population was therefore 0·76 to every hundred persons living; of births, 4·09; and of deaths, 1·93.

Probable cause of decline in marriage rate.

It might, perhaps, be hazardous to assign a specific cause for this decline in the marriage rate. There are many influences, no doubt, bearing upon the social structure of the community which might, with substantial reasoning, be advanced to account for this retrogressive feature. It may be that the laws of habit and convenience operate as the controlling power, more than that frequently accepted criterion—the prosperity or depression of trade. Disproportion in the sexes is another element which should not be overlooked—the males largely predominating. A reference to the Census of 1861 will shew that there were 105,398 males at marriageable ages, to 77,014 females of the same class, leaving 28,384 of the former, or at least a very large proportion of them, we assume, "involuntary bachelors."

The birth-rate, it is satisfactory to state, is progressive.

Increase in the number of deaths.

As regards the comparatively large increase in the number of deaths in 1867, it may principally be attributed to the measles epidemic, which passed through the Colony in the early part of the year, and was particularly fatal among children resident in the metropolitan division.

Suggested amendment of Marriage Act, 19 Vict., No. 30.

The necessity of an amended Marriage Law has on several occasions been brought under notice in the Annual Reports from this Department; and in view of the urgency of the measure to check clandestine marriages, as well as for statistical purposes, I have appended a Draft Bill for the consideration of the Government, with such provisions as appear to me to be required to cure the evils complained of.

Registration Act, 19 Vic., No. 34.

In reference to the Registration Act, 19 Vict., No. 34, so many amendments are found to be necessary, that I am compelled to suggest its repeal during the next Session of the Legislature, and the introduction of a Bill in its stead, framed upon the experience acquired in working out the registration system.

Table A exhibits the numbers of Marriages, Births, and Deaths registered in each quarter of the year, in Sydney, the Suburbs, and Country Districts.

A.
TABLE shewing the number of MARRIAGES, BIRTHS, and DEATHS, registered in the Colony of New South Wales, during each Quarter of the Year 1867.

| QUARTER ENDED— | MARRIAGES. | BIRTHS. | | | DEATHS. | | |
|---------------------------|--------------|--------------|--------------|---------------|--------------|--------------|--------------|
| | | Males. | Females. | Total. | Males. | Females. | Total. |
| Sydney— | | | | | | | |
| 31st March | 294 | 299 | 292 | 591 | 329 | 254 | 583 |
| 30th June | 277 | 329 | 303 | 632 | 406 | 391 | 797 |
| 30th September | 260 | 361 | 348 | 709 | 183 | 147 | 330 |
| 31st December | 246 | 320 | 356 | 676 | 247 | 194 | 441 |
| TOTAL | 1,077 | 1,309 | 1,299 | 2,608 | 1,165 | 986 | 2,151 |
| Suburbs— | | | | | | | |
| 31st March | 61 | 269 | 265 | 534 | 149 | 143 | 292 |
| 30th June | 50 | 259 | 298 | 557 | 289 | 262 | 551 |
| 30th September | 71 | 314 | 286 | 600 | 143 | 100 | 243 |
| 31st December | 75 | 326 | 272 | 598 | 160 | 140 | 300 |
| TOTAL | 257 | 1,168 | 1,121 | 2,289 | 741 | 645 | 1,386 |
| Country Districts— | | | | | | | |
| 31st March | 565 | 1,615 | 1,464 | 3,079 | 857 | 455 | 1,312 |
| 30th June | 466 | 1,566 | 1,513 | 3,079 | 776 | 450 | 1,226 |
| 30th September | 552 | 1,889 | 1,836 | 3,725 | 817 | 529 | 1,346 |
| 31st December | 509 | 1,810 | 1,727 | 3,537 | 766 | 444 | 1,210 |
| TOTAL | 2,092 | 6,880 | 6,540 | 13,420 | 3,216 | 1,878 | 5,094 |
| New South Wales— | | | | | | | |
| 31st March | 920 | 2,183 | 2,021 | 4,204 | 1,335 | 852 | 2,187 |
| 30th June | 793 | 2,154 | 2,114 | 4,268 | 1,471 | 1,103 | 2,574 |
| 30th September | 883 | 2,564 | 2,470 | 5,034 | 1,143 | 776 | 1,919 |
| 31st December | 830 | 2,456 | 2,355 | 4,811 | 1,173 | 778 | 1,951 |
| TOTAL | 3,426 | 9,357 | 8,960 | 18,317 | 5,122 | 3,509 | 8,631 |

MARRIAGES.

The number of marriages celebrated during the year 1867 was 3,426, being, as comparison with previous year,

Of these marriages, there were performed—

| | | |
|-------------------------------|--------------|--------------------|
| In Sydney..... | 1,077 | or 31·44 per cent. |
| In Suburban Districts..... | 257 | „ 7·50 „ |
| In the Country Districts..... | 2,092 | „ 61·06 „ |
| Total | 3,426 | , 100·00 „ |

A comparison of the number of marriages solemnized by each denomination, in the years 1866 and 1867, and by the District Registrars without the religious ceremony, is shewn in the following tabular statement :—

| | 1866. | 1867. | 1866. Per cent. | 1867. Per cent. | Increase per cent. | Decrease per cent. | Number and per centage of marriages by denominations, 1866-67. |
|--|--------------|--------------|--------------------|--------------------|-----------------------|-----------------------|--|
| Church of England | 856 | 832 | 24·72 | 24·28 | ... | 0·44 | |
| Roman Catholic..... | 873 | 881 | 25·22 | 25·71 | 0·49 | ... | |
| Presbyterian | 856 | 767 | 24·73 | 22·39 | ... | 2·34 | |
| Wesleyan and Primitive } Methodist | 398 | 352 | 11·50 | 10·28 | ... | 1·22 | |
| Congregationalist | 90 | 100 | 2·60 | 2·92 | 0·32 | ... | |
| Baptist | 49 | 38 | 1·41 | 1·11 | ... | 0·30 | |
| Hebrew | 13 | 9 | 0·38 | 0·26 | ... | 0·12 | |
| Free Church of England, Unitarian, German Evangelical, Christian Israelites, and Latter Day Saints | 49 | 191 | 1·41 | 5·58 | 4·17 | ... | |
| Registrars' Offices | 278 | 256 | 8·03 | 7·47 | ... | 0·56 | |
| Total | 3,462 | 3,426 | 100·00 | 100·00 | 4·98 | 4·98 | |

In proportion to the estimated population, the marriages in Sydney were in the ratio of 15.70 per 1,000 living; in the Suburbs, 5.42; in the Country Districts, 6.47; and in the Colony, 7.80,—with the exception of the Suburbs, a less rate than in any year during the past decennial period.

The Church of England solemnized fewer marriages in 1867 (832) than in any year since 1857. The Roman Catholics shewed the highest number during the past year. The Congregationalist, German Evangelical, Unitarian, and Free Church of England, an increase on the previous year. The marriages by District Registrars were 22 less than in 1866.

Educational test
of persons
marrying.

The efforts which are now being made to extend the benefits of elementary education will in due time bear an abundant harvest of good results, and should stimulate us to increased exertion to rescue the rising generation from the ignorance in which so many thousands are steeped, so that the intelligence of the population may manifest itself by the extinction of the mark-signature which now disfigures the marriage registers. In the year 1858, 2,992 marriages were recorded, to which 1,240 persons affixed their marks; in 1867, with 3,426 marriages, 1,291 persons exhibited their deficiency in the rudimentary art of writing,—an appreciable improvement, however, which it is satisfactory to note.

Double
marriages.

There were four double marriages during the year 1867—three between Church of England and Roman Catholic, and one Church of England with Free Church of England.

Decennial table
of marriages by
each sect.

The usual decennial return of the number of marriages celebrated in the Colony by each denomination is appended, for comparative purposes.

B.

| DENOMINATION. | 1858. | 1859. | 1860. | 1861. | 1862. | 1863. | 1864. | 1865. | 1866. | 1867. |
|-----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Church of England | 1,006 | 1,074 | 879 | 1,021 | 921 | 842 | 868 | 886 | 856 | 832 |
| Roman Catholic | 804 | 820 | 714 | 783 | 824 | 836 | 945 | 934 | 873 | 881 |
| Presbyterian | 771 | 889 | 877 | 814 | 962 | 966 | 945 | 935 | 856 | 767 |
| Wesleyan | 176 | 212 | 192 | 244 | 219 | 234 | 278 | 349 | 349 | 303 |
| Primitive Methodist..... | 14 | 19 | 36 | 49 | 71 | 55 | 60 | 54 | 49 | 49 |
| Congregationalist | 57 | 75 | 41 | 62 | 69 | 100 | 95 | 97 | 90 | 100 |
| German Lutheran | 10 | 11 | | | | | | | | |
| Baptist | 21 | 21 | 9 | 22 | 22 | 41 | 28 | 34 | 49 | 38 |
| Christian Israelite | 1 | | 3 | 2 | | 1 | | 1 | 2 | |
| Unitarian | 5 | 3 | 3 | 4 | 2 | 4 | 1 | 4 | 1 | 2 |
| Hebrew | 9 | 11 | 10 | 8 | 12 | 14 | 10 | 11 | 13 | 9 |
| Latter Day Saints | | | | | | 1 | | | | |
| Free Church of England..... | | | | | | | 5 | 21 | 45 | 186 |
| German Evangelical..... | | | | | | | | | 1 | 3 |
| Registrars' Offices..... | 118 | 160 | 181 | 213 | 224 | 220 | 245 | 252 | 278 | 256 |
| TOTAL | 2,992 | 3,295 | 2,945 | 3,222 | 3,326 | 3,314 | 3,480 | 3,578 | 3,462 | 3,426 |

Table C, at foot, gives the number of marriages for each quarter during the same period, distinguishing those which took place in Sydney, the Suburbs, and Country Districts, and exhibits the ratio upon the population estimated at the middle of the year.

BIRTHS.

C.

TABLE shewing the number of MARRIAGES registered in the Colony of New South Wales, during each Quarter of the Years 1858 to 1867.

| | Estimated Population at the middle of the Year. | 31 Mar. | 30 June. | 30 Sept. | 31 Dec. | Total. | Ratio per 1,000 living. |
|------------------------|---|----------|----------|----------|---------|--------|-------------------------|
| Sydney | 1858 | 54,695 | 232 | 280 | 263 | 221 | 996 18·21 |
| | 1859 | 55,298 | 243 | 232 | 244 | 234 | 953 17·23 |
| | 1860 | 55,910 | 247 | 216 | 221 | 228 | 912 16·31 |
| | 1861 | 56,532 | 201 | 246 | 223 | 224 | 894 15·81 |
| | 1862 | 57,151 | 248 | 238 | 268 | 229 | 983 17·20 |
| | 1863 | 57,997 | 251 | 267 | 282 | 265 | 1,065 18·36 |
| | 1864 | 60,299 | 277 | 279 | 263 | 278 | 1,097 18·19 |
| | 1865 | 62,841 | 272 | 295 | 274 | 256 | 1,097 17·45 |
| | 1866 | 65,580 | 269 | 277 | 254 | 242 | 1,042 15·88 |
| | 1867 | 68,587 | 294 | 277 | 260 | 246 | 1,077 15·70 |
| | TOTAL | | 2,534 | 2,607 | 2,552 | 2,423 | 10,116 |
| | | | | | | | |
| Suburbs | 1858 | 31,790 | 49 | 46 | 39 | 44 | 178 5·60 |
| | 1859 | 33,510 | 52 | 60 | 53 | 51 | 216 6·44 |
| | 1860 | 35,345 | 41 | 46 | 46 | 54 | 187 5·29 |
| | 1861 | 37,300 | 39 | 50 | 48 | 61 | 198 5·31 |
| | 1862 | 39,575 | 52 | 50 | 63 | 49 | 214 5·40 |
| | 1863 | 40,106 | 54 | 38 | 37 | 46 | 175 4·36 |
| | 1864 | 41,698 | 50 | 48 | 49 | 47 | 194 4·65 |
| | 1865 | 43,456 | 68 | 47 | 51 | 63 | 229 5·27 |
| | 1866 | 45,350 | 46 | 55 | 55 | 56 | 212 4·67 |
| | 1867 | 47,429 | 61 | 50 | 71 | 75 | 257 5·42 |
| | TOTAL | | 512 | 490 | 512 | 546 | 2,060 |
| | | | | | | | |
| Country Districts..... | 1858 | 223,305 | 456 | 482 | 478 | 402 | 1,818 8·14 |
| | 1859 | 242,052 | 520 | 507 | 579 | 520 | 2,126 8·78 |
| | 1860 | 239,585 | 468 | 464 | 434 | 480 | 1,846 7·70 |
| | 1861 | 259,500 | 505 | 561 | 549 | 515 | 2,130 8·20 |
| | 1862 | 269,015 | 537 | 506 | 557 | 529 | 2,129 7·91 |
| | 1863 | 273,057 | 475 | 519 | 547 | 533 | 2,074 7·59 |
| | 1864 | 283,896 | 579 | 542 | 527 | 541 | 2,189 7·71 |
| | 1865 | 295,865 | 609 | 547 | 567 | 529 | 2,252 7·61 |
| | 1866 | 308,765 | 555 | 538 | 573 | 542 | 2,208 7·15 |
| | 1867 | 322,927 | 565 | 466 | 552 | 509 | 2,092 6·47 |
| | TOTAL | | 5,269 | 5,132 | 5,363 | 5,100 | 20,864 |
| | | | | | | | |
| New South Wales ... | 1858 | 309,790 | 737 | 808 | 780 | 667 | 2,992 9·66 |
| | 1859 | 330,860* | 815 | 799 | 876 | 805 | 3,295 9·96 |
| | 1860 | 330,840 | 756 | 726 | 701 | 762 | 2,945 8·90 |
| | 1861 | 353,332 | 745 | 857 | 820 | 800 | 3,222 9·11 |
| | 1862 | 365,741 | 837 | 794 | 888 | 807 | 3,326 9·09 |
| | 1863 | 371,160 | 780 | 824 | 866 | 844 | 3,314 8·92 |
| | 1864 | 385,893 | 906 | 869 | 839 | 866 | 3,480 9·02 |
| | 1865 | 402,163 | 949 | 889 | 892 | 848 | 3,578 8·90 |
| | 1866 | 419,695 | 870 | 870 | 882 | 840 | 3,462 8·25 |
| | 1867 | 438,943 | 920 | 793 | 883 | 830 | 3,426 7·80 |
| | TOTAL | | 8,315 | 8,229 | 8,427 | 8,069 | 33,040 |
| | | | | | | | |

* Queensland separated, 1st December, 1859.

BIRTHS.

The names of 18,317 children were inscribed on the registers of births during the year 1867—a number exceeding by 4,515 those recorded in 1858. The ratio of increase was 41·73 to every 1,000 of the estimated population.

Proportion of each sex.

Of the births registered, 9,357 were male, and 8,960 were female children, being in the proportion of 104·43 males to every 100 females.

Arranged according to sexes, in the three principal divisions of the Colony, the following figures are brought out:—

| | Males. | Females. | Total. |
|-----------------|-----------|-----------|------------|
| Sydney | 1,309 | 1,299 | 2,608 |
| Suburbs | 1,168 | 1,121 | 2,289 |
| Country | 6,880 | 6,540 | 13,420 |
| Total | 9,357 | 8,960 | 18,317 |
| | ===== | ===== | ===== |

Number of births compared with 1866.

Compared with the year 1866, the registrations were, in—

| | 1866. | 1867. | Increase. | Per cent. |
|-----------------|------------|------------|-----------|-----------|
| Sydney | 2,478 | 2,608 | 130 | 5·33 |
| Suburbs | 2,079 | 2,289 | 210 | 10·10 |
| Country | 12,393 | 13,420 | 1,027 | 8·28 |
| Total | 16,950 | 18,317 | 1,367 | 8·07 |
| | ===== | ===== | ===== | ===== |

The records shew no exception to the rule that the births registered in the second six months of the year exceed those in the first six months. In the March quarter, 4,204 births were entered on the registers; in the June quarter, 4,268; in the September, 5,034, always the most prolific; and in December quarter, 4,811.

Natural increase to population by births since 1858.

If there had been no influx of population from parts beyond the limits of the Colony, from the year 1858 to 1867, its natural growth within that period, derived from the excess of births over deaths, would have added 92,035 to its numerical strength—a population almost equal to that of the sister Colony of Tasmania, or of Queensland.

Ratio of births, 1858 to 1867.

The ratio of births to every 1,000 living, at the middle of each of the last ten years, was as follows, viz.:—

| | |
|------------|-------|
| 1858 | 44·55 |
| 1859 | 43·56 |
| 1860 | 43·62 |
| 1861 | 41·55 |
| 1862 | 42·19 |
| 1863 | 42·24 |
| 1864 | 43·74 |
| 1865 | 42·97 |
| 1866 | 40·38 |
| 1867 | 41·73 |

The past year's rate, therefore, was 1·35 per 1,000 higher than that of 1866, but 2·37 below the average of the nine years preceding it.

In 1867, the birth-rate of the City was 38·02 per 1,000; in the Suburbs, 48·26; and in the Country, 41·55.

Table D, at foot, exhibits the number of births registered quarterly in the three divisions before mentioned, for the decennial period ended 31st December last.

The number of children born out of wedlock in 1867 was 670, viz.:—In Sydney, Illegitimates, 142, in the Suburbs, 65, and in the Country Districts, 463. This class of births was therefore, in the aggregate, 3·6 per cent. of the whole number born. As compared with England, where the average rate is 6·3, the result is favourable to the Colony. The proportion of illegitimates has, however, outstepped the growth of population during the last decade; for while the population in 1858, which was estimated at 309,790, with 13,802 births, gave 330 as the total number of children the offspring of illicit intercourse, the returns for 1867, with an approximate population of 438,943, and 18,317 births, shewed, as before stated, that 670 children were in the same category.

E.

D.

TABLE shewing the Number of BIRTHS registered in the Colony of New South Wales, during each Quarter of the Years 1858 to 1867.

| | Estimated Population at the middle of each Year. | 31 Mar. | 30 June. | 30 Sept. | 31 Dec. | Total. | Ratio per 1,000 living. | |
|------------------------|--|---------|----------|----------|---------|--------|-------------------------|-------|
| Sydney | 1858 | 54,695 | 524 | 631 | 604 | 507 | 2,266 | 41·42 |
| | 1859 | 55,298 | 645 | 585 | 600 | 548 | 2,378 | 43·00 |
| | 1860 | 55,910 | 588 | 607 | 609 | 545 | 2,349 | 42·01 |
| | 1861 | 56,532 | 476 | 640 | 661 | 549 | 2,326 | 41·14 |
| | 1862 | 57,151 | 565 | 560 | 608 | 501 | 2,234 | 39·08 |
| | 1863 | 57,997 | 591 | 614 | 655 | 501 | 2,361 | 40·70 |
| | 1864 | 60,299 | 610 | 585 | 653 | 584 | 2,432 | 40·33 |
| | 1865 | 62,841 | 575 | 663 | 692 | 599 | 2,529 | 40·24 |
| | 1866 | 65,580 | 620 | 595 | 643 | 620 | 2,478 | 37·78 |
| | 1867 | 68,587 | 591 | 632 | 709 | 676 | 2,608 | 38·02 |
| | TOTAL..... | | 5,785 | 6,112 | 6,434 | 5,630 | 23,961 | |
| | | | | | | | | |
| Suburbs | 1858 | 31,790 | 400 | 408 | 474 | 491 | 1,773 | 55·77 |
| | 1859 | 33,510 | 453 | 455 | 449 | 456 | 1,813 | 54·10 |
| | 1860 | 35,345 | 426 | 496 | 464 | 431 | 1,817 | 55·41 |
| | 1861 | 37,300 | 363 | 486 | 511 | 478 | 1,838 | 49·27 |
| | 1862 | 39,575 | 411 | 478 | 524 | 412 | 1,825 | 46·11 |
| | 1863 | 40,106 | 458 | 456 | 500 | 458 | 1,872 | 46·67 |
| | 1864 | 41,698 | 446 | 510 | 496 | 541 | 1,993 | 47·80 |
| | 1865 | 43,456 | 491 | 510 | 514 | 545 | 2,060 | 47·40 |
| | 1866 | 45,350 | 465 | 527 | 553 | 534 | 2,079 | 45·84 |
| | 1867 | 47,429 | 534 | 557 | 600 | 598 | 2,289 | 48·26 |
| | TOTAL..... | | 4,447 | 4,883 | 5,085 | 4,944 | 19,359 | |
| | | | | | | | | |
| Country Districts..... | 1858 | 223,305 | 2,245 | 2,353 | 2,636 | 2,529 | 9,763 | 43·72 |
| | 1859 | 242,052 | 2,353 | 2,482 | 2,788 | 2,601 | 10,224 | 42·24 |
| | 1860 | 239,585 | 2,326 | 2,542 | 2,707 | 2,492 | 10,067 | 42·02 |
| | 1861 | 259,500 | 2,372 | 2,399 | 2,852 | 2,894 | 10,517 | 40·53 |
| | 1862 | 269,015 | 2,773 | 2,715 | 3,101 | 2,786 | 11,375 | 42·28 |
| | 1863 | 273,057 | 2,717 | 2,764 | 3,083 | 2,882 | 11,446 | 41·91 |
| | 1864 | 283,896 | 2,841 | 3,139 | 3,292 | 3,184 | 12,456 | 43·87 |
| | 1865 | 295,865 | 3,032 | 2,965 | 3,448 | 3,249 | 12,694 | 42·90 |
| | 1866 | 308,765 | 3,026 | 3,047 | 3,276 | 3,044 | 12,393 | 40·13 |
| | 1867 | 322,927 | 3,079 | 3,079 | 3,725 | 3,537 | 13,420 | 41·55 |
| | TOTAL..... | | 26,764 | 27,485 | 30,908 | 29,198 | 114,355 | |
| | | | | | | | | |
| New South Wales ... | 1858 | 309,790 | 3,169 | 3,392 | 3,714 | 3,527 | 13,802 | 44·55 |
| | 1859* | 330,860 | 3,451 | 3,522 | 3,837 | 3,605 | 14,415 | 43·56 |
| | 1860 | 330,840 | 3,340 | 3,645 | 3,780 | 3,468 | 14,233 | 43·62 |
| | 1861 | 353,332 | 3,211 | 3,525 | 4,024 | 3,921 | 14,681 | 41·55 |
| | 1862 | 365,741 | 3,749 | 3,753 | 4,233 | 3,699 | 15,434 | 42·19 |
| | 1863 | 371,160 | 3,766 | 3,834 | 4,238 | 3,841 | 15,679 | 42·24 |
| | 1864 | 385,893 | 3,897 | 4,234 | 4,441 | 4,309 | 16,881 | 43·74 |
| | 1865 | 402,163 | 4,098 | 4,138 | 4,654 | 4,393 | 17,283 | 42·97 |
| | 1866 | 419,695 | 4,111 | 4,169 | 4,472 | 4,198 | 16,950 | 40·38 |
| | 1867 | 438,943 | 4,204 | 4,268 | 5,034 | 4,811 | 18,317 | 41·73 |
| | TOTAL..... | | 36,996 | 38,480 | 42,427 | 39,772 | 157,675 | |
| | | | | | | | | |

* Queensland separated, 1st December, 1859.

E.

TABLE shewing the number of CHILDREN born out of WEDLOCK, in the Colony of New South Wales, from the 1st January, 1858, to 31st December, 1867.

| Year. | Sydney. | | | Suburban. | | | Country Districts. | | | Total. | | |
|-----------|---------|----------|--------|-----------|----------|--------|--------------------|----------|--------|--------|----------|--------|
| | Males. | Females. | Total. | Males. | Females. | Total. | Males. | Females. | Total. | Males. | Females. | Total. |
| 1858..... | 42 | 35 | 77 | 23 | 12 | 35 | 114 | 104 | 218 | 179 | 151 | 330 |
| 1859..... | 44 | 61 | 105 | 21 | 20 | 41 | 149 | 170 | 319 | 214 | 251 | 465 |
| 1860..... | 59 | 44 | 103 | 16 | 16 | 32 | 157 | 172 | 329 | 232 | 232 | 464 |
| 1861..... | 58 | 61 | 119 | 17 | 16 | 33 | 166 | 140 | 306 | 241 | 217 | 458 |
| 1862..... | 59 | 56 | 115 | 24 | 28 | 52 | 178 | 160 | 338 | 261 | 244 | 505 |
| 1863..... | 62 | 67 | 129 | 22 | 22 | 44 | 176 | 156 | 332 | 260 | 245 | 505 |
| 1864..... | 64 | 56 | 120 | 32 | 23 | 55 | 202 | 202 | 404 | 298 | 281 | 579 |
| 1865..... | 66 | 71 | 137 | 16 | 26 | 42 | 213 | 225 | 438 | 295 | 322 | 617 |
| 1866..... | 79 | 78 | 157 | 21 | 30 | 51 | 203 | 215 | 418 | 303 | 323 | 626 |
| 1867..... | 65 | 77 | 142 | 32 | 33 | 65 | 232 | 231 | 463 | 329 | 341 | 670 |
| Total ... | 598 | 606 | 1,204 | 224 | 226 | 450 | 1,790 | 1,775 | 3,565 | 2,612 | 2,607 | 5,219 |

To those whose especial duties may lead them to further inquiry on this subject of vital interest, the Appendix (B) to this Report will supply ample materials for consideration.

Twins.

There were 158 instances of Twins being born during the year, a larger proportion than usual.

F.

TABLE shewing the number of TRIPLETS and TWINS born in the Colony of New South Wales, from the 1st January, 1858, to the 31st December, 1867.

| Year. | Triplets. | | | | Twins. | | | |
|-------------|---------------|--------|----------|--------|---------------|--------|----------|--------|
| | No. of Cases. | Males. | Females. | Total. | No. of Cases. | Males. | Females. | Total. |
| 1858 | 1 | 3 | | 3 | 122 | 118 | 126 | 244 |
| 1859 | 1 | 1 | 2 | 3 | 103 | 104 | 101 | 205* |
| 1860 | 3 | 4 | 5 | 9 | 136 | 133 | 139 | 272 |
| 1861 | 2 | 1 | 5 | 6 | 160 | 159 | 161 | 320 |
| 1862 | 1 | | 3 | 3 | 133 | 129 | 137 | 266 |
| 1863 | | | | | 122 | 134 | 110 | 244 |
| 1864 | | | | | 140 | 142 | 138 | 280 |
| 1865 | 3 | 5 | 4 | 9 | 164 | 144 | 182 | 326† |
| 1866 | 2 | 2 | 4 | 6 | 151 | 141 | 155 | 296‡ |
| 1867 | | | | | 158 | 148 | 166 | 314† |
| Total | 13 | 16 | 23 | 39 | 1,389 | 1,352 | 1,415 | 2,767 |

* One still-born, not registered.

+ Two still-born in each year, not registered.

‡ Six still-born, not registered.

DEATHS.

Increase in the number of deaths.

The number of deaths recorded in the year 1867 was 8,631, viz.:—5,122 males, and 3,509 females; equal to 19·66 per 1,000 of the estimated population at the middle of the year; and, with the exception of 1860, when the influenza and measles were so fatal in the City and Suburbs, the highest death-rate since the organization of this department, in 1856: the average annual rate for the nine previous years being 17·49 per 1,000, or 2·17 below that for the year under review.

Mortality in City, Suburbs, and Country, compared with 1866.

The deaths in the City of Sydney, in 1867, exceeded by 549, or 6·94 per 1,000 living, those of 1866, affording painful evidence of the ravages of the measles epidemic which visited the Colony in the early part of last year.

In the Suburbs the mortality was higher than that of 1866, by 420, or 7·91 per 1,000 living, the death-rate being 29·22 per 1,000—the heaviest during the past ten years.

The number of deaths which occurred in the Country Districts was 301 above that in the previous year, or 0·25 per 1,000 living; but, as observed in the epidemics of 1860, the influence of the disease was trifling when compared with its virulence among the urban population.

The

The excessive mortality was chiefly confined to the first two quarters of the year, which the following figures will more clearly exemplify :—

Excessive number of deaths in March and June quarters.

| | March Quarter. | June Quarter. | September Quarter. | December Quarter. | Total. |
|---------------|----------------|---------------|--------------------|-------------------|--------|
| Sydney | 583 | 797 | 330 | 441 | 2,151 |
| Suburbs | 292 | 551 | 243 | 300 | 1,386 |
| Country | 1,312 | 1,226 | 1,346 | 1,210 | 5,094 |
| Total | 2,187 | 2,574 | 1,919 | 1,951 | 8,631 |

In Sydney the proportion per cent. of deaths to the aggregate number recorded in 1867 was 24·92; in the Suburbs, 16·06; and in the Country Districts, 59·02.

Of the 1,380 deaths reported to have taken place in the City during the first half of 1867, 437 are attributed to measles; and, out of this number, 378 were children under five years of age, or 27·39 per cent. of the total number of deaths for the six months referred to; and in the Suburbs, out of 843 deaths, 603, or 71·53 per cent., were children.

Table G gives the number of Deaths registered quarterly in the City, Suburbs, and Country, for the past ten years.

G.

TABLE shewing the number of DEATHS registered in the Colony of New South Wales, during each Quarter of the Years 1858 to 1867.

| | Estimated Population at the middle of each Year. | 31 Mar. | 30 June. | 30 Sept. | 31 Dec. | Total. | Ratio per 1,000 living. |
|------------------------|--|----------|----------|----------|---------|--------|-------------------------|
| Sydney | 1858 | 54,695 | 453 | 401 | 299 | 494 | 1,647 |
| | 1859 | 55,298 | 394 | 320 | 281 | 411 | 1,406 |
| | 1860 | 55,910 | 393 | 573 | 522 | 338 | 1,826 |
| | 1861 | 56,532 | 300 | 312 | 265 | 372 | 1,249 |
| | 1862 | 57,151 | 350 | 340 | 280 | 412 | 1,382 |
| | 1863 | 57,997 | 475 | 360 | 363 | 440 | 1,638 |
| | 1864 | 60,299 | 436 | 435 | 384 | 474 | 1,729 |
| | 1865 | 62,841 | 340 | 345 | 339 | 398 | 1,422 |
| | 1866 | 65,580 | 389 | 412 | 347 | 454 | 1,602 |
| | 1867 | 68,587 | 583 | 797 | 330 | 441 | 2,151 |
| | TOTAL..... | | 4,113 | 4,295 | 3,410 | 4,234 | 16,052 |
| Suburbs | 1858 | 31,790 | 212 | 181 | 157 | 225 | 775 |
| | 1859 | 33,510 | 199 | 159 | 110 | 223 | 691 |
| | 1860 | 35,345 | 208 | 228 | 264 | 198 | 898 |
| | 1861 | 37,300 | 159 | 152 | 109 | 176 | 596 |
| | 1862 | 39,575 | 202 | 192 | 155 | 240 | 789 |
| | 1863 | 40,106 | 254 | 182 | 150 | 252 | 838 |
| | 1864 | 41,698 | 237 | 197 | 176 | 211 | 821 |
| | 1865 | 43,456 | 201 | 185 | 145 | 258 | 789 |
| | 1866 | 45,350 | 220 | 256 | 174 | 316 | 966 |
| | 1867 | 47,429 | 292 | 551 | 243 | 300 | 1,386 |
| | TOTAL..... | | 2,184 | 2,283 | 1,683 | 2,399 | 8,549 |
| Country Districts..... | 1858 | 223,305 | 896 | 762 | 900 | 903 | 3,461 |
| | 1859 | 242,052 | 1,053 | 848 | 774 | 870 | 3,545 |
| | 1860 | 239,585 | 942 | 1,030 | 935 | 931 | 3,838 |
| | 1861 | 259,500 | 880 | 913 | 832 | 873 | 3,498 |
| | 1862 | 269,015 | 1,145 | 1,139 | 954 | 1,115 | 4,353 |
| | 1863 | 273,057 | 1,356 | 1,044 | 932 | 845 | 4,177 |
| | 1864 | 283,896 | 1,025 | 1,067 | 921 | 882 | 3,895 |
| | 1865 | 295,865 | 1,074 | 1,102 | 1,019 | 1,190 | 4,385 |
| | 1866 | 308,765 | 1,467 | 1,351 | 993 | 982 | 4,793 |
| | 1867 | 322,927 | 1,312 | 1,226 | 1,346 | 1,210 | 5,094 |
| | TOTAL..... | | 11,150 | 10,482 | 9,606 | 9,801 | 41,039 |
| New South Wales | 1858 | 309,790 | 1,561 | 1,344 | 1,356 | 1,622 | 5,883 |
| | 1859 | *330,860 | 1,646 | 1,327 | 1,165 | 1,504 | 5,642 |
| | 1860 | 330,840 | 1,543 | 1,831 | 1,721 | 1,467 | 6,562 |
| | 1861 | 353,332 | 1,339 | 1,377 | 1,206 | 1,421 | 5,343 |
| | 1862 | 365,741 | 1,697 | 1,671 | 1,389 | 1,767 | 6,524 |
| | 1863 | 371,160 | 2,085 | 1,586 | 1,445 | 1,537 | 6,653 |
| | 1864 | 385,893 | 1,698 | 1,699 | 1,481 | 1,567 | 6,445 |
| | 1865 | 402,163 | 1,615 | 1,632 | 1,503 | 1,846 | 6,596 |
| | 1866 | 419,695 | 2,076 | 2,019 | 1,514 | 1,752 | 7,361 |
| | 1867 | 438,943 | 2,187 | 2,574 | 1,919 | 1,951 | 8,631 |
| | TOTAL..... | | 17,447 | 17,060 | 14,699 | 16,434 | 65,640 |

* Queensland separated, 1st December, 1859.

Measles epidemic.

The measles first appeared at Balmain in the month of February, 1867; from thence it crossed the harbour, and attacked the residents in the thickly-populated parts along the water-side, where its intensity was greatest. It, however, quickly spread over other parts of the city, and extended to the suburbs during the month of March, in which 120 deaths were recorded in Sydney alone from this cause, besides twenty-seven in the environs. In April the disease had reached its height, 266 having succumbed to its deadly presence. Continuing its ravages in the following month, although with diminished fatality, it rapidly subsided in the months of June and July, and almost wholly disappeared in the month of August.

It is somewhat remarkable that, although the epidemic made Balmain the starting-point of its career, but three deaths are registered there as having resulted from measles either as a primary or secondary cause. Concord was wholly exempt. In the district of Newtown, but three deaths were attributed to the disease during the four or five months of its continuance; and in the district of St. George, which adjoins Newtown, twelve deaths were recorded. In the Glebe, thirty-five fatal cases occurred. Redfern and Botany numbered eighty-one deaths—the next highest to Sydney. In the district of Paddington, forty-nine deaths from the prevailing epidemic were entered on the register—the greater proportion of the mortality having taken place in the Destitute Children's Asylum at Randwick. St. Leonard's, on the North Shore, had fifteen deaths from the same cause.

During this visitation—that is, from the month of February to the end of June—the meteorological registrations at the Observatory gave the following results:—

| | No. of Deaths. | Mn. Temp. | Mn. H. Barom. | Rain. Depth. | Days. | Ozone. |
|----------------|----------------|-----------|---------------|-----------------|-------|--------|
| February | 145 | 70·8 | 29·942 | 3·69 in. | 13 | 4·0 |
| March... | 279 | 68·5 | 30·099 | 12·04 „ | 14 | 4·7 |
| April | 373 | 66·4 | 30·051 | 17·48 „ | 23 | 5·4 |
| May..... | 278 | 61·0 | 30·141 | 3·90 „ | 12 | 5·4 |
| June | 146 | 56·2 | 30·174 | 12·64 „ | 12 | 5·7 |

It is not within my province to advance an opinion, or to assign a probable cause as to the origin of this visitation during 1867—to add another, perhaps, to the many theories on the subject. I submit merely realities as to the mortality and atmospheric phenomena during the rigour of the disease; it is open to every medical practitioner or scientific inquirer to draw, from the data I have furnished, those conclusions which he may feel warranted by his own experience.

Measles most prevalent in certain localities.

Upon a careful examination of the death returns for the city, the following facts have been elicited:—From the month of February to the end of June, when the epidemic may be said to have prevailed, 437 deaths, as previously stated, occurred from that cause alone, 378 being children under five years, and 59 above that age; distributed through the several wards in the proportions given below:—

| | | Under 5 years. | Over 5 years. | Total. |
|--|--------------------|-------------------|------------------|------------|
| | Denisen Ward | 71 | 12 | 83 |
| | Phillip „ | 68 | 15 | 83 |
| | Gipps „ | 64 | 8 | 72 |
| | Fitzroy „ | 52 | 6 | 58 |
| | Cook „ | 38 | 7 | 45 |
| | Brisbane „ | 41 | 4 | 45 |
| | Bourke „ | 26 | 2 | 28 |
| | Macquarie „ | 18 | 5 | 23 |
| | Total | 378 | 59 | 437 |

Clearly demonstrating that the disease was most virulent in its effects in those localities where the accumulations from the higher and other parts of the city were allowed to remain. The apparent equality in the numbers of deaths in Denison and Phillip Wards may be accounted for, as regards the latter, by the fatal cases of measles registered from the Benevolent Asylum having been included. Gipps Ward, also bordering on the harbour, and contiguous to Denison Ward, shews the next highest death-rate, and is a further proof that much of the excessive sickness in those portions of Sydney may unquestionably be set down to the bad drainage, and the want of a proper and efficient system of flushing the streets, and removing those nuisances which in themselves are a prolific source of disease and death. Fitzroy Ward, although much has been done in its sanitary arrangements during the last few years, is still open to much improvement. These opinions are borne out by the fact that Bourke and Macquarie Wards, situated on the ridge of the City site, were but mildly visited during the epidemic, and that, here at least, diseases of the zymotic class have no resting-place.

The foregoing remarks apply only to the City of Sydney and Suburbs. In the Country Districts the measles carried off a large number of children.

The proportion which the infantile mortality bore to the total deaths of the year is illustrated in the following statement, which exhibits also the comparative percentages of deaths in the three great divisions of the Colony :—

| | Under 5 years. | Total Deaths. | Rate per cent. of deaths under 5 years. |
|--------------------|-------------------|------------------|---|
| Sydney | 1,262 | 2,151 | 58·67 |
| Suburbs | 925 | 1,386 | 66·73 |
| Country | 2,387 | 5,094 | 46·85 |
| Total | 4,574 | 8,631 | 52·99 |

The decennial table of deaths among children, with the percentage they bore to the total deaths, distinguishing those in the City, Suburbs, and Country, is inserted below.

H.

INFANTILE MORTALITY.

| YEAR. | Total Deaths of the year. | Total Deaths under 5 years. | Per- centage of total Deaths under 5 years to Deaths of the Year. | SYDNEY. | | | SUBURBS. | | | COUNTRY DISTRICTS. | | |
|------------------|------------------------------------|--------------------------------------|---|-----------------------------|-----------------------------|--|-----------------------------|-----------------------------|--|-----------------------------|-----------------------------|--|
| | | | | Total Deaths of Year. | Deaths under 5 years. | Per- centage of Deaths under 5 years to total Deaths. | Total Deaths of Year. | Deaths under 5 years. | Per- centage of Deaths under 5 years to total Deaths. | Total Deaths of Year. | Deaths under 5 years. | Per- centage of Deaths under 5 years to total Deaths. |
| 1858 | 5,883 | 2,642 | 44·90 | 1,647 | 849 | 51·54 | 775 | 486 | 62·70 | 3,461 | 1,307 | 37·76 |
| 1859 | 5,642 | 2,444 | 43·31 | 1,406 | 676 | 48·08 | 691 | 441 | 63·82 | 3,545 | 1,327 | 37·43 |
| 1860 | 6,562 | 2,866 | 43·67 | 1,826 | 893 | 48·90 | 898 | 526 | 58·57 | 3,838 | 1,447 | 37·73 |
| 1861 | 5,343 | 2,291 | 42·87 | 1,249 | 536 | 42·91 | 596 | 353 | 59·22 | 3,498 | 1,402 | 40·08 |
| 1862 | 6,524 | 2,921 | 44·77 | 1,382 | 607 | 43·92 | 789 | 470 | 59·56 | 4,353 | 1,844 | 42·36 |
| 1863 | 6,653 | 2,942 | 44·22 | 1,638 | 787 | 48·04 | 838 | 482 | 57·51 | 4,177 | 1,673 | 40·05 |
| 1864 | 6,445 | 2,839 | 44·04 | 1,729 | 819 | 47·37 | 821 | 442 | 53·83 | 3,895 | 1,578 | 40·51 |
| 1865 | 6,596 | 2,879 | 43·65 | 1,422 | 612 | 43·04 | 789 | 447 | 56·65 | 4,385 | 1,820 | 41·73 |
| 1866 | 7,361 | 3,292 | 44·72 | 1,602 | 717 | 44·75 | 966 | 535 | 55·38 | 4,793 | 2,040 | 42·56 |
| 1867 | 8,631 | 4,574 | 52·99 | 2,151 | 1,262 | 58·67 | 1,386 | 925 | 66·73 | 5,094 | 2,387 | 46·85 |
| | 65,640 | 29,690 | | 16,052 | 7,758 | | 8,549 | 5,107 | | 41,039 | 16,825 | |
| Mean of 10 years | 6,564 | 2,969 | 44·91 | 1,605 | 775 | 47·72 | 855 | 510 | 59·39 | 4,104 | 1,682 | 40·70 |

Percentage of
deaths in City
Wards and
Suburbs.

Classification of
diseases.

Tables I and J, at foot, shew the percentages of deaths in the City Wards and in the Suburban Districts respectively, for the years 1864 to 1867 inclusive, with the proportion of deaths to population in each Ward or District.

The uniform arrangement which has been observed during the past five years, in classifying the causes of death, is annually becoming invested with greater interest, and will no doubt eventually be regarded as a valuable reference in any professional inquiry which may be instituted. The following table shews the results of the investigations into the causes of mortality during the period specified. Miasmatic diseases, embracing scarlatina, measles, diarrhoea, dysentery, diphtheria, fevers, &c., were the most fatal, and exhibit a proportion of 33·19 per cent. on the aggregate deaths of the year. Diseases of the nervous system the next highest death-rate, 11·88 per cent. In this class, however, it should be remarked, is included the deaths of infants from convulsions.

K.

I.

| WARD. | Percentage of | | | | | | | | | | | | | | | |
|--------------------|---|-------|-------|-------|---|-------|-------|-------|---|-------|-------|-------|---|-------|-------|-------|
| | Deaths under 5 years to total Deaths in each Ward. | | | | Deaths under 5 years to Births in each Ward. | | | | Total Deaths to Births in each Ward. | | | | Total Deaths to Popu- lation in each Ward. | | | |
| | 1864. | 1865. | 1866. | 1867. | 1864. | 1865. | 1866. | 1867. | 1864. | 1865. | 1866. | 1867. | 1864. | 1865. | 1866. | 1867. |
| 1. Gipps | 55·55 | 48·83 | 54·43 | 62·80 | 35·92 | 24·70 | 26·13 | 50·99 | 64·67 | 50·58 | 48·01 | 81·16 | 2·99 | 2·38 | 2·34 | 3·94 |
| 2. Bourke | 15·63 | 13·48 | 18·23 | 21·71 | 23·87 | 17·20 | 33·68 | 43·65 | ... | ... | ... | ... | 6·58 | 6·19 | 6·78 | 7·68 |
| 3. Brisbane | 50·00 | 49·24 | 52·12 | 69·30 | 33·20 | 26·00 | 35·36 | 55·12 | 66·46 | 52·88 | 67·07 | 79·52 | 2·76 | 2·09 | 2·61 | 3·20 |
| 4. Macquarie | 47·74 | 46·99 | 43·30 | 67·24 | 43·09 | 26·70 | 24·74 | 47·85 | 90·24 | 56·85 | 57·05 | 71·17 | 2·46 | 1·83 | 2·14 | 2·57 |
| 5. Cook | 58·85 | 48·29 | 55·83 | 67·77 | 32·49 | 20·38 | 31·32 | 43·50 | 55·16 | 42·20 | 56·60 | 64·16 | 2·65 | 2·12 | 2·38 | 2·92 |
| 6. Fitzroy | 51·25 | 51·43 | 47·15 | 61·54 | 29·12 | 22·95 | 24·18 | 40·13 | 56·83 | 44·62 | 51·28 | 65·21 | 2·92 | 2·23 | 2·72 | 3·55 |
| 7. Phillip | 66·29 | 64·10 | 59·44 | 71·20 | 52·40 | 38·46 | 32·07 | 62·24 | 78·60 | 60·00 | 53·95 | 87·41 | 3·06 | 2·63 | 2·41 | 4·34 |
| 8. Denison | 55·00 | 50·36 | 53·03 | 73·00 | 30·79 | 22·08 | 29·63 | 51·33 | 55·95 | 43·84 | 53·86 | 70·32 | 2·10 | 1·72 | 2·24 | 3·26 |

The Infirmary and Hyde Park Asylum are situated in Bourke Ward ; the Benevolent Asylum, in Phillip Ward.

J.

| DISTRICT. | Percentage of | | | | | | | | | | | | | | | |
|---------------------------|---|-------|-------|-------|---|-------|-------|-------|---|-------|-------|-------|---|-------|-------|-------|
| | Deaths under 5 years to total Deaths in each District. | | | | Deaths under 5 years to Births in each District. | | | | Total Deaths to Births in each District. | | | | Total Deaths to Popu- lation in each District. | | | |
| | 1864. | 1865. | 1866. | 1867. | 1864. | 1865. | 1866. | 1867. | 1864. | 1865. | 1866. | 1867. | 1864. | 1865. | 1866. | 1867. |
| 1. Sydney | 47·37 | 43·04 | 44·75 | 58·67 | 33·67 | 24·20 | 28·93 | 48·39 | 71·09 | 56·22 | 64·65 | 82·48 | 3·04 | 2·50 | 2·82 | 3·78 |
| 2. Balmain | 51·66 | 55·21 | 52·52 | 69·23 | 13·71 | 24·88 | 22·51 | 35·04 | 26·54 | 45·07 | 42·85 | 51·18 | 1·52 | 2·43 | 2·51 | 3·29 |
| 3. Glebe | 55·34 | 44·70 | 54·13 | 64·89 | 26·38 | 16·89 | 29·75 | 51·96 | 47·68 | 37·77 | 54·96 | 80·07 | 2·77 | 2·29 | 3·58 | 6·06 |
| 4. Newtown | 49·42 | 64·00 | 46·06 | 66·11 | 22·63 | 28·23 | 19·90 | 39·21 | 47·8 | 44·12 | 43·20 | 59·31 | 2·05 | 1·77 | 2·10 | 2·85 |
| 5. Redfern and Botany. | 62·39 | 69·56 | 61·86 | 76·00 | 28·35 | 25·57 | 26·54 | 45·24 | 45·43 | 36·76 | 42·91 | 59·52 | 3·49 | 3·08 | 3·52 | 5·60 |
| 6. Paddington ... | 51·36 | 53·90 | 57·31 | 57·34 | 22·36 | 21·47 | 30·53 | 41·80 | 44·40 | 39·83 | 53·27 | 72·95 | 2·04 | 2·07 | 2·51 | 3·93 |
| 7. Concord | 47·27 | 34·54 | 52·63 | 54·54 | 19·84 | 15·32 | 25·00 | 23·62 | 41·98 | 44·35 | 47·50 | 43·30 | 2·33 | 2·33 | 2·46 | 2·33 |
| 8. St. George | 42·70 | 55·40 | 51·22 | 64·96 | 16·46 | 15·89 | 26·25 | 32·84 | 38·55 | 28·68 | 51·25 | 50·55 | 1·70 | 1·31 | 2·17 | 2·43 |
| 9. St. Leonards ... | 59·57 | 41·07 | 56·89 | 68·42 | 18·30 | 15·03 | 19·52 | 33·33 | 30·72 | 36·60 | 34·22 | 48·72 | 1·36 | 1·62 | 1·67 | 2·20 |

K.

| | 1863. Per- centage. | 1864. Per- centage. | 1865. Per- centage. | 1866. Per- centage. | 1867. Per- centage. |
|---|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| CLASS I.—ZYMOTIC DISEASES. | | | | | |
| Order 1.— <i>Miasmatic Diseases</i> —Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c. | 24·74 | 24·56 | 25·59 | 26·27 | 33·19 |
| 2.— <i>Enthetic Diseases</i> —Syphilis, Gonorrhœa, &c. | 0·50 | 0·28 | 0·38 | 0·46 | 0·24 |
| 3.— <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c. | 1·74 | 1·54 | 1·77 | 1·85 | 1·19 |
| 4.— <i>Parasitic Diseases</i> —Thrush, Worms, &c. | 0·58 | 0·62 | 0·44 | 0·54 | 0·45 |
| | 27·56 | 27·00 | 28·18 | 29·12 | 35·07 |
| CLASS II.—CONSTITUTIONAL. | | | | | |
| Order 1.— <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c. | 2·48 | 2·62 | 2·73 | 2·93 | 2·66 |
| 2.— <i>Tubercular Diseases</i> —Scrofula, Phthisis, Hydrocephalus, &c. | 7·91 | 8·55 | 7·69 | 7·85 | 6·91 |
| | 10·39 | 11·17 | 10·42 | 10·78 | 9·57 |
| CLASS III.—LOCAL. | | | | | |
| Order 1.— <i>Nervous</i> —Apoplexy, Paralysis, Insanity, Convulsions, Cephalitis, Brain Disease, &c. | 13·02 | 13·27 | 12·46 | 12·30 | 11·88 |
| 2.— <i>Circulation</i> —Pericarditis, Aneurism, Heart Disease, &c. | 3·58 | 3·82 | 4·35 | 4·24 | 3·62 |
| 3.— <i>Respiratory</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c. | 7·74 | 8·49 | 7·54 | 7·32 | 8·49 |
| 4.— <i>Digestive</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c. | 6·15 | 6·97 | 6·81 | 6·43 | 5·93 |
| 5.— <i>Urinary</i> —Nephritis, Ischuria, Diabetes, &c. | 0·83 | 0·81 | 1·21 | 0·76 | 0·71 |
| 6.— <i>Generation</i> —Ovarian Dropsy, Uterus Disease, &c. | 0·15 | 0·20 | 0·24 | 0·31 | 0·27 |
| 7.— <i>Joints</i> —Arthritis, Ostitis, Periostitis, &c. | 0·19 | 0·20 | 0·30 | 0·27 | 0·16 |
| 8.— <i>Integumentary</i> —Phlegmon, Ulcer, Skin Disease, &c. | 0·21 | 0·43 | 0·61 | 0·46 | 0·28 |
| | 31·87 | 34·19 | 33·52 | 32·09 | 31·34 |
| CLASS IV.—DEVELOPMENTAL. | | | | | |
| Order 1.— <i>Children</i> —Cyanosis, Spina Bifida, Teething, &c. | 4·70 | 4·53 | 4·93 | 5·45 | 4·63 |
| 2.— <i>Adults</i> —Paramenia, Childbirth, &c. | 0·65 | 0·68 | 0·67 | 0·63 | 0·03 |
| 3.— <i>Old People</i> —Old Age, &c. | 3·59 | 3·06 | 3·67 | 3·07 | 2·49 |
| 4.— <i>Nutrition</i> —Atrophy, Debility | 7·61 | 6·46 | 7·61 | 9·08 | 7·38 |
| | 16·55 | 14·73 | 16·88 | 18·23 | 14·53 |
| CLASS V.—VIOLENCE. | | | | | |
| Order 1.— <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. | 8·97 | 9·75 | 8·26 | 7·25 | 6·98 |
| 2.— <i>Wounds in Battle</i> —Gunshot Wounds, Sword, Bayonet, or other Wounds | | | | | |
| 3.— <i>Homicide</i> —Murder and Manslaughter | 0·27 | 0·23 | 0·27 | 0·29 | 0·13 |
| 4.— <i>Suicide</i> —Poison, Drowning, Hanging, &c. | 0·60 | 0·68 | 0·42 | 0·34 | 0·46 |
| 5.— <i>Execution</i> —Hanging | 0·09 | 0·03 | 0·05 | 0·08 | 0·05 |
| Unclassified | 0·76 | | | | |
| | 10·69 | 10·69 | 9·00 | 7·96 | 7·62 |
| <i>Unspecified</i> | 2·94 | 2·22 | 2·00 | 1·82 | 1·87 |

The Meteorological Abstract for the nine years ended December last is appended. *Meteorology.*

In its condensed form, it gives the mean results of each month for the period, and cannot fail to prove interesting to those whose inclinations lead them to the path of science.

L.

| Month. | Mean No. of Deaths. | Mean Temperature. | Mean height of Barometer. | Rain. | | Mean Amount of Ozone for five years. |
|-----------------------------|------------------------|----------------------|------------------------------|---------------------|-----------------|---|
| | | | | Depth in inches. | No. of days. | |
| January | 141 | 70·7 | 29·847 | 4·37 | 14 | 2·5 |
| February | 122 | 70·5 | .864 | 5·72 | 13 | 2·4 |
| March | 143 | 69·3 | .983 | 5·06 | 16 | 2·8 |
| April | 145 | 64·5 | 30·016 | 8·99 | 13 | 2·9 |
| May | 146 | 58·0 | .018 | 1·87 | 11 | 2·4 |
| June | 141 | 54·1 | .030 | 6·69 | 13 | 3·1 |
| July | 128 | 51·8 | 29·987 | 4·43 | 10 | 2·5 |
| August | 117 | 53·9 | 30·055 | 3·75 | 12 | 2·5 |
| September | 100 | 58·6 | 29·936 | 2·76 | 11 | 2·6 |
| October | 125 | 63·4 | .877 | 2·13 | 11 | 2·9 |
| November | 131 | 66·2 | .870 | 2·54 | 9 | 2·6 |
| December | 159 | 68·7 | .815 | 1·91 | 11 | 2·2 |
| Mean of Twelve Months | 133 | 62·4 | 29·941 | 4·18 | 12 | 2·6 |

December,

December, notwithstanding the heavy mortality in the second quarter of the year, from the measles epidemic, shews the largest number of deaths, although the atmospheric phenomena present no unusual feature. March, April, and May contribute their full proportions to the aggregate deaths; June retains its character for insalubrity; while August and September still maintain their low averages. With one or two exceptions, the highest number of deaths occurred during those months when the greatest rain-fall was registered.

Safe custody of records in Country Districts.

The records of many of the District Registry Offices having accumulated to such an extent that some provision was rendered necessary for their preservation and safe custody, I have been enabled, through the liberality of Parliament, to make arrangements by which the requirements of the principal offices throughout the Colony will be met.

I have the honor to be,

Sir,

Your most obedient Servant,

THEO. JAS. JAQUES,

Registrar General.

INDEX TO TABLES.

| | PAGE. |
|---|-------|
| BIRTHS— | |
| QUARTERLY ABSTRACT (1867) | 5 |
| " " (1858 TO 1867) | 9 |
| CHILDREN OUT OF WEDLOCK | 10 |
| TRIPLETS AND TWINS | 10 |
| IN THE COLONY | 18 |
| IN EACH DISTRICT | 18 |
| IN EACH WARD OF THE CITY, IN PROPORTION TO DEATHS, &c. | 14 |
| IN EACH SUBURBAN DISTRICT " " ... | 14 |
| DEATHS— | |
| QUARTERLY ABSTRACT (1867) | 5 |
| " " (1858 TO 1867) | 11 |
| IN THE COLONY | 18 |
| IN EACH DISTRICT | 18 |
| IN EACH WARD OF THE CITY, IN PROPORTION TO BIRTHS, &c. | 14 |
| IN EACH SUBURBAN DISTRICT " " ... | 14 |
| INFANTS, 1858 TO 1867 | 13 |
| MALES, AT AGES, NEW SOUTH WALES | 21 |
| " " CITY OF SYDNEY | 24 |
| " " SUBURBAN DISTRICTS | 27 |
| " " COUNTRY DISTRICTS | 30 |
| FEMALES " NEW SOUTH WALES | 22 |
| " " CITY OF SYDNEY | 25 |
| " " SUBURBAN DISTRICTS | 28 |
| " " COUNTRY DISTRICTS | 31 |
| BOTH SEXES " NEW SOUTH WALES | 23 |
| " " CITY OF SYDNEY | 26 |
| " " SUBURBAN DISTRICTS | 29 |
| " " COUNTRY DISTRICTS | 32 |
| FROM EACH CAUSE, IN THE CITY OF SYDNEY | 34 |
| MONTHLY MORTALITY | 33 |
| AT SEA, REGISTERED IN THE COLONY | 36 |
| MORTALITY, TEMPERATURE, &c. | 15 |
| DISEASES CLASSIFIED (1863, 1864, 1865, 1866, AND 1867, COMPARED) ... | 15 |
| MARRIAGES— | |
| QUARTERLY ABSTRACT (1867) | 5 |
| " " (1858 TO 1867) | 7 |
| IN THE COLONY | 18 |
| IN EACH DISTRICT | 18 |
| DENOMINATIONS (1867) | 20 |
| " (1858 TO 1867) | 6 |
| DRAFT BILL TO AMEND MARRIAGE ACT | 36 |
| REGISTRATION DISTRICTS, AND DISTRICT REGISTRARS | 37 |
| TEMPERATURE, HEIGHT OF BAROMETER, RAIN, &c. (1859 TO 1867) | 15 |

APPENDIX.

A

TABLE shewing the number of MARRIAGES, BIRTHS, and DEATHS, registered in the Colony of New South Wales, during the Year ended 31st December, 1867.

B.

TABLE shewing the MARRIAGES, BIRTHS, and DEATHS, registered in each District of the Colony of New South Wales, during the Year ended 31st December, 1867.

| Districts. | Popula- tion, Census 1861. | Mar- riages. | Total. | | Births. | | | | Deaths. | | Excess of Births over Deaths | | |
|---------------------------|-------------------------------------|-----------------|---------|---------|--------------------------------------|-----|-------------------------|-------|---------|-----|---------------------------------|-----|-------|
| | | | Births. | Deaths. | Including Illegitimate Births. | | Illegitimate Births. | | | | | | |
| | | | | | M. | F. | M. | F. | M. | F. | | | |
| I.—NORTH-EASTERNE. | | | | | | | | | | | | | |
| 1. Richmond River | ... | ... | 1,835 | 17 | 129 | 25 | 57 | 72 | 1 | 1 | 10 | 15 | 104 |
| Tweed River | ... | ... | | ... | 4 | ... | 2 | 2 | ... | ... | ... | ... | 4 |
| 2. Grafton | ... | ... | 3,306 | 70 | 310 | 79 | 149 | 161 | 4 | 2 | 57 | 22 | 231 |
| 3. Macleay River | ... | ... | 1,963 | 35 | 194 | 34 | 109 | 85 | 1 | 2 | 22 | 12 | 160 |
| 4. Port Macquarie | ... | ... | 1,350 | 13 | 76 | 44 | 41 | 35 | ... | 1 | 32 | 12 | 32 |
| 5. Manning River | ... | ... | 3,384 | 38 | 214 | 27 | 121 | 93 | 2 | 3 | 15 | 12 | 187 |
| 6. Port Stephens | ... | ... | 1,535 | 13 | 95 | 19 | 50 | 45 | ... | ... | 10 | 9 | 76 |
| 7. Dungog | ... | ... | 1,757 | 18 | 90 | 23 | 45 | 45 | ... | 2 | 13 | 10 | 67 |
| 8. Clarence Town | ... | ... | 1,031 | 3 | 27 | 9 | 17 | 10 | ... | 1 | 7 | 2 | 18 |
| 9. Paterson | ... | ... | 2,440 | 16 | 105 | 21 | 57 | 48 | 2 | 3 | 14 | 7 | 84 |
| 10. Raymond Terrace | ... | ... | 3,535 | 15 | 149 | 42 | 88 | 61 | 2 | ... | 32 | 10 | 107 |
| 11. Maitland | ... | ... | 14,573 | 100 | 565 | 311 | 281 | 284 | 14 | 17 | 180 | 131 | 254 |
| 12. Morpeth | ... | ... | 3,874 | 13 | 159 | 99 | 84 | 75 | 1 | 3 | 45 | 54 | 60 |
| 13. Patrick's Plains | ... | ... | 5,584 | 55 | 345 | 109 | 185 | 160 | 8 | 8 | 62 | 47 | 236 |
| 14. Muswellbrook | ... | ... | 1,595 | 25 | 158 | 51 | 69 | 89 | 3 | 3 | 28 | 23 | 107 |
| 15. Sccone | ... | ... | 1,528 | 10 | 99 | 30 | 49 | 50 | 2 | 1 | 17 | 13 | 69 |
| 16. Murrurundi | ... | ... | 2,088 | 22 | 101 | 23 | 45 | 56 | 2 | 3 | 14 | 9 | 78 |
| TOTAL | ... | ... | 51,378 | 463 | 2,820 | 946 | 1,449 | 1,371 | 42 | 50 | 558 | 388 | 1,874 |

B—continued.

| Districts. | Popula- tion, Census, 1861. | Mar- riages. | Total. | | Births. | | | | Deaths. | | Excess of Births over Deaths, | |
|-----------------------------------|--------------------------------------|-----------------|--------------|--------------|--------------------------------------|--------------|-------------------------|------------|--------------|--------------|----------------------------------|--|
| | | | Births. | Deaths. | Including Illegitimate Births. | | Illegitimate Births. | | M. | F. | | |
| | | | | | M. | F. | M. | F. | | | | |
| II.—NORTH MIDLAND. | | | | | | | | | | | | |
| 1. Tenterfield | 1,365 | 16 | 73 | 34 | 44 | 29 | 3 | ... | 23 | 11 | 39 | |
| 2. Wellingrove | 1,681 | { 25 | 123 | 32 | 66 | 57 | ... | 2 | 16 | 16 | 91 | |
| 3. Inverell | | { 2 | 21 | 4 | 11 | 10 | 1 | 1 | 4 | ... | 17 | |
| 4. Armidale | 6,630 | 60 | 350 | 105 | 188 | 162 | 5 | 5 | 60 | 45 | 245 | |
| TOTAL | 9,676 | 103 | 567 | 175 | 309 | 258 | 9 | 8 | 103 | 72 | 392 | |
| III.—NORTH-WESTERN. | | | | | | | | | | | | |
| 1. Tamworth | 4,852 | { 29 | 247 | 68 | 126 | 121 | 3 | 2 | 45 | 23 | 179 | |
| 2. Nundle | | { ... | 29 | 5 | 15 | 14 | 3 | ... | 5 | ... | 24 | |
| 3. Warialda | 2,148 | 13 | 97 | 46 | 51 | 46 | 3 | 1 | 22 | 24 | 51 | |
| 4. Cassilis | 1,060 | 5 | 67 | 25 | 32 | 35 | ... | ... | 14 | 11 | 42 | |
| 5. Dubbo | 2,959 | { 23 | 106 | 36 | 64 | 42 | 1 | 1 | 27 | 9 | 70 | |
| Coonabarabran | | { 15 | 92 | 28 | 48 | 44 | 4 | 3 | 21 | 7 | 64 | |
| 6. Molong | 1,862 | { 5 | 57 | 20 | 24 | 33 | 2 | 2 | 15 | 5 | 37 | |
| Forbes | | { 36 | 221 | 94 | 100 | 121 | 6 | 7 | 65 | 29 | 127 | |
| 7. Wallgett | 862 | { 1 | 38 | 32 | 21 | 17 | ... | 1 | 23 | 9 | 6 | |
| Wee Waa | | { 5 | 49 | 22 | 18 | 31 | 2 | 2 | 16 | 6 | 27 | |
| TOTAL | 13,743 | 132 | 1,003 | 376 | 499 | 504 | 24 | 19 | 253 | 123 | 627 | |
| IV.—METROPOLITAN. | | | | | | | | | | | | |
| 1. City of Sydney | 56,840 | 1,077 | 2,608 | 2,151 | 1,309 | 1,299 | 65 | 77 | 1,165 | 986 | 457 | |
| 2. Balmain | 3,947 | 36 | 254 | 130 | 128 | 126 | 1 | 1 | 58 | 72 | 124 | |
| 3. Glebe | 3,712 | 29 | 281 | 225 | 137 | 144 | 4 | 4 | 130 | 95 | 56 | |
| 4. Newtown | 4,236 | 20 | 204 | 121 | 99 | 105 | 3 | 2 | 65 | 56 | 83 | |
| 5. Redfern and Botany | 6,701 | 27 | 630 | 375 | 327 | 303 | 10 | 10 | 200 | 175 | 255 | |
| 6. Paddington | 6,794 | 66 | 366 | 267 | 193 | 173 | 5 | 6 | 152 | 115 | 99 | |
| 7. Concord | 2,356 | 21 | 127 | 55 | 68 | 59 | 2 | 2 | 27 | 28 | 72 | |
| 8. St. George | 5,647 | 38 | 271 | 137 | 129 | 142 | 4 | 3 | 65 | 72 | 134 | |
| 9. St. Leonards | 3,453 | 20 | 156 | 76 | 87 | 69 | 3 | 5 | 44 | 32 | 80 | |
| TOTAL | 93,686 | 1,334 | 4,897 | 3,537 | 2,477 | 2,420 | 97 | 110 | 1,906 | 1,631 | 1,360 | |
| V.—EAST MIDLAND. | | | | | | | | | | | | |
| 1. Newcastle | 7,922 | 97 | 692 | 382 | 340 | 352 | 7 | 7 | 207 | 175 | 310 | |
| 2. Wollombi | 1,888 | 9 | 73 | 15 | 36 | 37 | 2 | ... | 10 | 5 | 58 | |
| 3. Macdonald River | 786 | 7 | 37 | 12 | 16 | 21 | ... | 2 | 7 | 5 | 25 | |
| 4. Brisbane Water | 2,346 | 18 | 94 | 30 | 55 | 39 | 1 | 2 | 17 | 13 | 64 | |
| 5. Windsor | 5,593 | 44 | 240 | 129 | 130 | 110 | 4 | 4 | 78 | 51 | 111 | |
| 6. Richmond | 3,344 | 11 | 137 | 40 | 64 | 73 | 5 | 3 | 18 | 22 | 97 | |
| 7. Penrith | 5,984 | 33 | 295 | 124 | 151 | 144 | 4 | 7 | 71 | 53 | 171 | |
| 8. Parramatta | 9,980 | 63 | 360 | 246 | 184 | 176 | 10 | 10 | 157 | 89 | 114 | |
| 9. Ryde | 2,103 | 14 | 108 | 96 | 57 | 51 | 2 | 2 | 63 | 33 | 12 | |
| 10. Liverpool | 3,673 | 14 | 99 | 155 | 43 | 56 | 1 | 1 | 138 | 17 | ... | |
| 11. Campbelltown | 2,609 | 12 | 73 | 19 | 40 | 33 | ... | 1 | 11 | 8 | 54 | |
| 12. Camden | 5,230 | 26 | 161 | 48 | 78 | 83 | 4 | 2 | 22 | 26 | 113 | |
| 13. Picton | 3,063 | 10 | 92 | 19 | 52 | 40 | 1 | 1 | 9 | 10 | 73 | |
| TOTAL | 54,521 | 358 | 2,461 | 1,315 | 1,246 | 1,215 | 41 | 43 | 808 | 507 | 1,202 | |
| VI.—WEST MIDLAND. | | | | | | | | | | | | |
| 1. Carcoar | 4,995 | 26 | 190 | 46 | 108 | 82 | 2 | 2 | 28 | 18 | 144 | |
| 2. Hartley | 2,761 | 37 | 237 | 92 | 123 | 114 | 4 | 1 | 55 | 37 | 145 | |
| 3. Bathurst | 12,616 | 102 | 618 | 253 | 299 | 319 | 15 | 16 | 161 | 92 | 365 | |
| 4. Sofala | 4,460 | 14 | 120 | 43 | 59 | 61 | 5 | 7 | 27 | 16 | 77 | |
| 5. Orange | 2,892 | 55 | 275 | 87 | 136 | 139 | ... | 9 | 55 | 32 | 188 | |
| 6. Wellington | 1,799 | 19 | 118 | 44 | 59 | 59 | 3 | 4 | 29 | 15 | 74 | |
| 7. Tambaroora | 2,991 | 9 | 70 | 15 | 24 | 46 | 2 | 5 | 6 | 9 | 55 | |
| 8. Mudgee | 6,578 | 61 | 350 | 158 | 173 | 177 | 7 | 8 | 95 | 63 | 192 | |
| 9. Rylstone | 1,471 | 8 | 71 | 10 | 41 | 30 | ... | 8 | 1 | 2 | 61 | |
| TOTAL | 40,563 | 331 | 2,049 | 748 | 1,022 | 1,027 | 38 | 53 | 464 | 284 | 1,301 | |
| VII.—SOUTH-EASTERN. | | | | | | | | | | | | |
| 1. Wollongong | 6,049 | 34 | 254 | 63 | 136 | 118 | 4 | 3 | 38 | 25 | 191 | |
| 2. Kiama | 5,486 | 36 | 259 | 48 | 133 | 126 | 2 | 2 | 30 | 18 | 211 | |
| 3. Berrima | 3,237 | 28 | 267 | 58 | 150 | 117 | 6 | 2 | 35 | 23 | 209 | |
| 4. Shoalhaven | 3,321 | 25 | 173 | 32 | 91 | 82 | 1 | ... | 19 | 13 | 141 | |
| 5. Ulladulla | 975 | 10 | 75 | 14 | 39 | 36 | 1 | ... | 10 | 4 | 61 | |
| 6. Broulee | 1,983 | 21 | 155 | 44 | 80 | 75 | 3 | 3 | 31 | 13 | 111 | |
| 7. Eden | 2,324 | 32 | 161 | 31 | 80 | 81 | ... | 3 | 24 | 7 | 130 | |
| TOTAL | 23,375 | 186 | 1,344 | 290 | 709 | 635 | 17 | 13 | 187 | 103 | 1,054 | |

B—continued.

| Districts. | Population, Census 1861. | Mar- riages. | Total. | | Births. | | | | Deaths. | | Excess of Births over Deaths. | |
|---|--------------------------------|-----------------|---------------|--------------|--------------------------------------|--------------|-------------------------|------------|--------------|--------------|----------------------------------|--|
| | | | Births. | Deaths. | Including Illegitimate Births. | | Illegitimate Births. | | M. | F. | | |
| | | | | | M. | F. | M. | F. | | | | |
| VIII.—SOUTH MIDLAND. | | | | | | | | | | | | |
| 1. Braidwood ... | 8,199 | 62 | 477 | 159 | 250 | 227 | 17 | 3 | 101 | 58 | 318 | |
| 2. Cooma ... | 3,834 | 41 | 210 | 67 | 106 | 104 | 2 | 4 | 47 | 20 | 143 | |
| 3. Bombala ... | 2,054 | 15 | 110 | 22 | 55 | 55 | 1 | 4 | 12 | 10 | 88 | |
| 4. Goulburn ... | 9,824 | 87 | 523 | 213 | 273 | 250 | 15 | 10 | 129 | 84 | 310 | |
| 5. Albury ... | 3,771 | 39 | 291 | 88 | 149 | 142 | 3 | 1 | 63 | 25 | 203 | |
| 6. Gundagai ... | 2,386 | 15 | 164 | 48 | 79 | 85 | 3 | 2 | 28 | 20 | 116 | |
| 7. Tumut ... | 3,410 | 24 | 123 | 25 | 58 | 65 | 1 | 2 | 19 | 6 | 98 | |
| 8. Yass ... | 4,425 | 33 | 217 | 97 | 124 | 93 | 2 | 2 | 61 | 36 | 120 | |
| 9. Queanbeyan ... | 3,612 | 19 | 170 | 59 | 85 | 85 | 4 | 1 | 37 | 22 | 111 | |
| 10. Binalong ... | 13,450 | { 16 | 180 | 55 | 84 | 96 | 4 | 8 | 33 | 22 | 125 | |
| Young ... | | { 52 | 203 | 90 | 109 | 94 | 1 | 5 | 57 | 33 | 113 | |
| TOTAL | 54,965 | 403 | 2,668 | 923 | 1,372 | 1,296 | 53 | 42 | 587 | 336 | 1,745 | |
| IX.—SOUTH-WESTERN. | | | | | | | | | | | | |
| 1. Deniliquin ... | 1,674 | 26 | 78 | 60 | 43 | 35 | | 1 | 48 | 12 | 18 | |
| 2. Moama ... | 256 | 3 | 30 | 9 | 15 | 15 | | 6 | 3 | 2 | 21 | |
| 3. Moulamein ... | 463 | 2 | 12 | 3 | 7 | 5 | 1 | | 2 | 1 | 9 | |
| 4. Balranald ... | 6 | 18 | 9 | 9 | 9 | 9 | | 7 | 2 | 9 | | |
| Bourke ... | 2,003 | { 14 | 46 | 45 | 26 | 20 | 2 | 1 | 37 | 8 | 1 | |
| Hay ... | 15 | 82 | 74 | 44 | 38 | 2 | | 65 | 23 | 1 | 28 | |
| Wentworth ... | 8 | 52 | 24 | 24 | 28 | 1 | | 68 | 29 | 93 | | |
| 5. Wagga Wagga ... | 2,647 | 42 | 190 | 97 | 106 | 84 | 2 | 1 | 256 | 65 | 187 | |
| TOTAL | 7,043 | 116 | 508 | 321 | 274 | 234 | 8 | 3 | | | | |
| GRAND TOTALS FOR NEW SOUTH WALES ... | 348,950 | 3,426 | 18,317 | 8,631 | 9,357 | 8,960 | 329 | 341 | 5,122 | 3,509 | 9,742 | |

The Deaths in the District of Liverpool shew an excess of 56 over the Births, which will reduce the excess of Births over Deaths to 9,686.

C.

MARRIAGES—1867.

| Denomination. | Sydney. | | | Suburban Districts. | | | Country Districts. | | | Total. | | | |
|----------------------------|-----------------|------------|------------|---------------------|------------|-----------|--------------------|-----------|--------------|-----------------|------------|------------|--------------|
| | Mar- riages. | Marks. | | Mar- riages. | Marks. | | Mar- riages. | Marks. | | Mar- riages, | Marks. | | |
| | | M. | F. | | M. | F. | | M. | F. | | M. | F. | |
| Church of England ... | 108 | 3 | 4 | 7 | 75 | 1 | 3 | 4 | 649 | 102 | 135 | 237 | 832 |
| Roman Catholic ... | 251 | 44 | 83 | 127 | 78 | 16 | 29 | 45 | 552 | 140 | 174 | 314 | 881 |
| Presbyterian ... | 433 | 40 | 77 | 117 | 37 | 2 | 3 | 5 | 297 | 27 | 55 | 82 | 767 |
| Wesleyan ... | 33 | 3 | 3 | 3 | 21 | ... | 1 | 1 | 249 | 31 | 43 | 74 | 303 |
| Primitive Methodist ... | 13 | 1 | 1 | 1 | 7 | 1 | ... | 1 | 29 | 4 | 5 | 9 | 49 |
| Congregationalist ... | 34 | 3 | 8 | 11 | 23 | ... | 1 | 1 | 43 | 11 | 12 | 23 | 100 |
| Baptist ... | 4 | ... | ... | ... | 8 | ... | 1 | 1 | 26 | 3 | 8 | 11 | 38 |
| Unitarian ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | ... |
| Hebrew ... | 7 | ... | ... | ... | ... | ... | ... | 2 | ... | ... | 9 | ... | ... |
| Free Church of England ... | 185 | 13 | 40 | 53 | 1 | ... | ... | ... | ... | ... | ... | 186 | 13 |
| German Evangelical ... | 2 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 3 | ... | ... |
| Registrars' Offices ... | 5 | ... | 1 | 1 | 6 | 2 | 3 | 5 | 245 | 64 | 94 | 158 | 256 |
| Total ... | 1,077 | 103 | 217 | 320 | 257 | 22 | 41 | 63 | 2,092 | 382 | 526 | 908 | 3,426 |
| | | | | | | | | | | | | | 507 |
| | | | | | | | | | | | | | 784 |
| | | | | | | | | | | | | | 1,291 |

D 1.

SUMMARY of DEATHS of MALES registered in NEW SOUTH WALES, from 1st January to 31st December, 1867.

| | CAUSES OF DEATH. | Under 1 year. | | | | | | | | | | | | | | | | | | Total under 5 years. | | | | | | | | | | Percentage on Total Male Deaths of the Year. | |
|---|------------------|---------------|---------|---------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------------------|-----|--------------------|------|--------|------|-----|-----|-----|--|---|--|
| | | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | ? | Total of all Ages. | | | | | | | | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Miasmatic Diseases</i> —Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c. | 370 | 352 | 175 | 116 | 70 | 1083 | 139 | 25 | 16 | 31 | 18 | 26 | 16 | 15 | 18 | 27 | 21 | 15 | 23 | 6 | 12 | 2 | 1493 | 29·15 | | | | | | | |
| 2. <i>Enthetic Diseases</i> —Syphilis, Gonorrhœa, &c. | 4 | 1 | ... | ... | ... | 5 | ... | ... | ... | 2 | 1 | ... | 1 | ... | 2 | ... | ... | ... | 2 | ... | 12 | 0·23 | | | | | | | | | |
| 3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c. | 3 | ... | 1 | 1 | 1 | 6 | 2 | 2 | 1 | 1 | 8 | 5 | 6 | 6 | 11 | 5 | 3 | 7 | 2 | 2 | 1 | 10 | 78 | 1·52 | | | | | | | |
| 4. <i>Parasitic Diseases</i> —Thrush, Worms, &c. | 11 | 2 | 1 | 1 | 2 | 17 | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 20 | 0·39 | | | | | | | |
| Total... | 388 | 355 | 177 | 118 | 73 | 1111 | 143 | 28 | 17 | 32 | 26 | 33 | 23 | 21 | 31 | 32 | 24 | 22 | 27 | 8 | 13 | 12 | 1603 | | | | | | | | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c. | 2 | 2 | 4 | 3 | 1 | 12 | 2 | ... | 1 | 4 | 5 | 7 | 4 | 7 | 19 | 10 | 20 | 15 | 17 | 5 | 7 | 1 | 136 | 2·66 | | | | | | | |
| 2. <i>Tubercular Diseases</i> —Scrofula, Phthisis, Hydrocephalus, &c. | 50 | 35 | 9 | 6 | 5 | 105 | 10 | 6 | 13 | 23 | 39 | 28 | 25 | 23 | 31 | 14 | 17 | 9 | 7 | 2 | 1 | 5 | 358 | 6·99 | | | | | | | |
| Total... | 52 | 37 | 13 | 9 | 6 | 117 | 12 | 6 | 14 | 27 | 44 | 35 | 29 | 30 | 50 | 24 | 37 | 24 | 24 | 7 | 8 | 6 | 494 | | | | | | | | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c. | 264 | 51 | 32 | 8 | 6 | 361 | 15 | 4 | 9 | 12 | 21 | 23 | 22 | 18 | 23 | 25 | 19 | 16 | 25 | 17 | 9 | 5 | 624 | 12·18 | | | | | | | |
| 2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease | 1 | 1 | 1 | 1 | ... | 3 | 1 | 2 | 6 | 10 | 15 | 28 | 29 | 23 | 18 | 18 | 26 | 12 | 22 | 9 | 7 | 3 | 232 | 4·53 | | | | | | | |
| 3. <i>Diseases of the Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c. | 81 | 47 | 22 | 8 | 9 | 167 | 15 | 4 | 9 | 10 | 18 | 12 | 18 | 14 | 22 | 20 | 30 | 28 | 29 | 11 | 12 | 2 | 421 | 8·22 | | | | | | | |
| 4. <i>Diseases of the Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c. | 57 | 18 | 10 | 4 | 7 | 96 | 8 | 10 | 6 | 10 | 10 | 20 | 16 | 18 | 21 | 23 | 22 | 23 | 6 | 8 | 3 | 303 | 5·92 | | | | | | | | |
| 5. <i>Diseases of the Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c. | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | 1 | 1 | 5 | 1 | 2 | 10 | 5 | 4 | 4 | 2 | 6 | ... | 43 | 0·84 | | | | | | | | |
| 6. <i>Diseases of the Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | |
| 7. <i>Diseases of the Joints</i> —Arthritis, Ostitis, Periostitis, &c. | ... | 1 | 1 | ... | ... | 2 | ... | 2 | 2 | ... | 2 | ... | ... | 1 | ... | 1 | ... | 1 | ... | 1 | ... | 11 | 0·22 | | | | | | | | |
| 8. <i>Diseases of Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c. | 5 | 1 | 1 | 1 | ... | 8 | 1 | 1 | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | ... | 13 | 0·25 | | | | | | | | |
| Total... | 408 | 120 | 66 | 22 | 22 | 638 | 40 | 23 | 32 | 43 | 67 | 84 | 90 | 75 | 87 | 98 | 103 | 83 | 87 | 47 | 37 | 13 | 1647 | | | | | | | | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of Children</i> —Cyanosis, Teething, &c. | 150 | 56 | ... | ... | ... | 206 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 206 | 4·02 | | | | | | | |
| 2. <i>Diseases of Old People</i> —Old Age, &c. | ... | ... | ... | ... | ... | 285 | 3 | ... | 1 | 1 | 2 | 2 | 7 | 2 | 6 | 9 | 12 | 8 | 27 | 2 | 2 | 1 | 113 | 1·52 | 2·97 | | | | | | |
| 3. <i>Diseases of Nutrition</i> —Atrophy, Debility | 222 | 47 | 13 | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 371 | 7·24 | | | | | | | |
| Total... | 372 | 103 | 13 | 3 | ... | 491 | 3 | ... | 1 | 1 | 2 | 2 | 7 | 2 | 6 | 9 | 12 | 9 | 37 | 29 | 115 | 3 | 729 | | | | | | | | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. | 12 | 23 | 15 | 11 | 6 | 67 | 30 | 27 | 22 | 42 | 57 | 44 | 33 | 31 | 20 | 29 | 23 | 20 | 11 | 7 | 4 | 17 | 484 | 9·45 | | | | | | | |
| 2. <i>Homicide</i> —Murder and Manslaughter | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 3 | 3 | ... | 2 | ... | 1 | ... | ... | 1 | ... | 1 | 11 | 0·21 | | | | | | | | |
| 3. <i>Suicide</i> —Poison, Drowning, Hanging, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 6 | 7 | 5 | 6 | 2 | 2 | 1 | 1 | ... | 2 | 36 | 0·70 | | | | | | | | |
| 4. <i>Execution</i> —Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 | 0·08 | | | | | | | | |
| Total... | 13 | 23 | 15 | 11 | 6 | 68 | 30 | 27 | 22 | 43 | 65 | 53 | 40 | 38 | 26 | 31 | 26 | 22 | 12 | 8 | 4 | 20 | 535 | | | | | | | | |
| Unspecified | 2 | ... | ... | ... | 1 | 3 | 2 | 1 | 2 | 4 | 5 | 4 | 7 | 11 | 10 | 12 | 10 | 1 | 9 | ... | ... | 33 | 114 | 2·23 | | | | | | | |
| Totals from all Causes | 1235 | 638 | 284 | 163 | 108 | 2428 | 230 | 85 | 88 | 150 | 209 | 211 | 196 | 177 | 210 | 206 | 212 | 161 | 196 | 99 | 177 | 87 | 5122 | 100·00 | | | | | | | |

D 2.

SUMMARY of DEATHS of FEMALES Registered in NEW SOUTH WALES, from 1st January to 31st December, 1867.

| CAUSES OF DEATH. | | | | | | | | | | | | | | | | | | | | | Percentage on Total Female Deaths of the Year. | | | |
|---|---------------|---------|---------|---------|---------|-------------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--|-----|--------------------|--------|
| | Under 1 year. | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | ? | Total of all ages. | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Miasmatic Diseases</i> —Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c. | 305 | 325 | 204 | 92 | 68 | 994 | 117 | 33 | 27 | 43 | 37 | 32 | 16 | 16 | 10 | 2 | 11 | 8 | 6 | 4 | 11 | 5 | 1372 | 39·10 |
| 2. <i>Enthetic Diseases</i> —Syphilis, Gonorrhœa, &c. | 5 | 1 | ... | 1 | ... | 7 | ... | ... | ... | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 9 | 0·26 |
| 3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c. | 7 | 1 | ... | ... | ... | 8 | 1 | ... | ... | ... | 2 | 3 | 2 | 2 | 1 | 3 | 3 | ... | ... | ... | ... | ... | 25 | 0·71 |
| 4. <i>Parasitic Diseases</i> —Thrush, Worms, &c. | 12 | 3 | 2 | 1 | ... | 18 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 19 | 0·54 |
| Total.... | 329 | 330 | 206 | 94 | 68 | 1027 | 118 | 33 | 27 | 44 | 40 | 35 | 18 | 18 | 12 | 5 | 14 | 8 | 6 | 4 | 11 | 5 | 1425 | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c. | 1 | 2 | 2 | 2 | 1 | 8 | 2 | 1 | 1 | 3 | 6 | 4 | 5 | 9 | 9 | 6 | 17 | 6 | 9 | 3 | 5 | ... | 94 | 2·68 |
| 2. <i>Tubercular Diseases</i> —Scrofula, Phthisis, Hydrocephalus, &c. | 51 | 30 | 9 | 5 | ... | 95 | 4 | 6 | 12 | 26 | 25 | 21 | 17 | 8 | 11 | 2 | 7 | 2 | ... | ... | ... | ... | 238 | 6·78 |
| Total.... | 52 | 32 | 11 | 7 | 1 | 103 | 6 | 7 | 13 | 29 | 31 | 25 | 22 | 17 | 20 | 8 | 24 | 8 | 11 | 3 | 5 | ... | 332 | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c. | 188 | 56 | 20 | 9 | 1 | 274 | 14 | 8 | 9 | 4 | 7 | 12 | 8 | 6 | 12 | 8 | 10 | 12 | 9 | 5 | 1 | 2 | 401 | 11·43 |
| 2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease | 3 | ... | ... | ... | ... | 3 | 2 | 2 | 4 | 4 | 12 | 6 | 4 | 3 | 6 | 8 | 9 | 7 | 2 | 3 | 5 | ... | 80 | 2·28 |
| 3. <i>Diseases of the Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c. | 83 | 60 | 24 | 10 | 6 | 183 | 13 | 3 | 2 | 9 | 14 | 5 | 9 | 9 | 11 | 10 | 11 | 10 | 10 | 5 | 8 | ... | 312 | 8·89 |
| 4. <i>Diseases of the Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c. | 45 | 19 | 5 | 3 | 3 | 75 | 5 | 9 | 5 | 9 | 10 | 13 | 8 | 15 | 15 | 15 | 9 | 6 | 9 | 1 | 4 | 1 | 209 | 5·96 |
| 5. <i>Diseases of the Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c. | 3 | 1 | ... | ... | ... | 4 | ... | 1 | 1 | 3 | 5 | 1 | 3 | 3 | ... | 1 | 1 | 1 | ... | 1 | ... | ... | 18 | 0·51 |
| 6. <i>Diseases of the Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c. | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 23 | 0·65 |
| 7. <i>Diseases of the Joints</i> —Arthritis, Ostitis, Periostitis, &c. | ... | ... | 1 | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 3 | 0·09 |
| 8. <i>Diseases of the Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c. | 4 | 1 | ... | ... | ... | 5 | ... | ... | 1 | ... | 2 | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | 11 | 0·31 |
| Total.... | 326 | 137 | 50 | 22 | 10 | 545 | 35 | 22 | 22 | 29 | 46 | 45 | 32 | 39 | 50 | 44 | 42 | 35 | 34 | 14 | 19 | 4 | 1057 | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of Children</i> —Cyanosis, Teething, &c. | 137 | 53 | 4 | ... | ... | 194 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 194 | 5·53 |
| 2. <i>Diseases of Adults</i> —Paramenia, Childbirth, &c. | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 0·09 |
| 3. <i>Diseases of Old People</i> —Old Age, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 3 | 4 | 13 | 42 | ... | 63 | 1·79 | |
| 4. <i>Diseases of Nutrition</i> —Atrophy, Debility | 177 | 30 | 10 | 6 | 4 | 227 | 6 | 1 | ... | ... | ... | 3 | 2 | 1 | 2 | 2 | 7 | 6 | 7 | ... | 2 | 266 | 7·58 | |
| Total.... | 314 | 83 | 14 | 6 | 4 | 421 | 6 | 2 | ... | ... | ... | 4 | 2 | 2 | 2 | 3 | 7 | 9 | 11 | 13 | 42 | 2 | 526 | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. | 13 | 12 | 11 | 6 | 5 | 47 | 18 | 8 | 4 | 6 | 4 | 9 | 3 | 2 | 4 | ... | 4 | 2 | 1 | 1 | 1 | 4 | 118 | 3·37 |
| 2. <i>Homicide</i> —Murder and Manslaughter | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 |
| 3. <i>Suicide</i> —Poison, Drowning, Hanging, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 2 | ... | ... | ... | ... | ... | ... | ... | 0·11 |
| 4. <i>Execution</i> —Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| Total.... | 13 | 12 | 11 | 6 | 5 | 47 | 18 | 8 | 4 | 6 | 4 | 9 | 4 | 2 | 4 | 1 | 6 | 2 | 1 | 1 | 1 | 4 | 122 | |
| Unspecified | ... | 1 | 1 | 1 | ... | 3 | 2 | 1 | 1 | 1 | 2 | ... | ... | 2 | 2 | 1 | 4 | ... | 2 | 1 | 1 | 24 | 47 | 1·34 |
| Totals from all Causes | 1034 | 595 | 293 | 136 | 88 | 2146 | 185 | 73 | 67 | 109 | 123 | 118 | 78 | 80 | 90 | 62 | 97 | 62 | 65 | 36 | 79 | 39 | 3509 | 100·00 |

| CAUSES OF DEATH, | Under 1 year. | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | ? | Total of all Ages. | Percentage on Total Deaths of the Year. | |
|--|---------------|---------|---------|---------|---------|----------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|-----|--------------------|---|--|
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Miasmatic Diseases</i> —Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c. | 675 | 677 | 379 | 208 | 138 | 2077 | 256 | 58 | 43 | 74 | 55 | 58 | 32 | 31 | 28 | 29 | 32 | 23 | 29 | 10 | 23 | 7 | 2865 | 33·19 | |
| 2. <i>Enthetic Diseases</i> —Syphilis, Gonorrhœa, &c. | 9 | 2 | ... | 1 | ... | 12 | ... | 1 | 2 | 1 | 2 | 1 | 3 | ... | 6 | 7 | 2 | 2 | ... | 1 | 10 | 103 | 21 | 0·24 | |
| 3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c. | 10 | 1 | 1 | 1 | 1 | 14 | 3 | 2 | 1 | 1 | 10 | 8 | 8 | 8 | 12 | 8 | 6 | 7 | 2 | 2 | 1 | 10 | 103 | 1·19 | |
| 4. <i>Parasitic Diseases</i> —Thrush, Worms, &c. | 23 | 5 | 3 | 2 | 2 | 35 | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 39 | 0·45 | |
| Total | 717 | 685 | 383 | 212 | 141 | 2138 | 261 | 61 | 44 | 76 | 66 | 68 | 41 | 39 | 43 | 37 | 38 | 30 | 33 | 12 | 24 | 17 | 3028 | | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c. | 3 | 4 | 6 | 5 | 2 | 20 | 4 | 1 | 2 | 7 | 11 | 11 | 9 | 16 | 28 | 16 | 37 | 21 | 26 | 8 | 12 | 1 | 230 | 2·66 | |
| 2. <i>Tubercular Diseases</i> —Scrofula, Phthisis, Hydrocephalus, &c. | 101 | 65 | 18 | 11 | 5 | 200 | 14 | 12 | 25 | 49 | 64 | 49 | 42 | 31 | 42 | 16 | 24 | 11 | 9 | 2 | 1 | 5 | 596 | 6·91 | |
| Total | 104 | 69 | 24 | 16 | 7 | 220 | 18 | 13 | 27 | 56 | 75 | 60 | 51 | 47 | 70 | 32 | 61 | 32 | 35 | 10 | 13 | 6 | 826 | | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c. | 452 | 107 | 52 | 17 | 7 | 635 | 29 | 12 | 18 | 16 | 28 | 35 | 30 | 24 | 35 | 33 | 29 | 28 | 34 | 22 | 10 | 7 | 1025 | 11·88 | |
| 2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease | 4 | 1 | ... | 1 | ... | 6 | 3 | 4 | 10 | 14 | 27 | 34 | 33 | 26 | 24 | 26 | 35 | 19 | 24 | 12 | 12 | 3 | 312 | 3·62 | |
| 3. <i>Diseases of the Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c. | 164 | 107 | 46 | 18 | 15 | 350 | 28 | 7 | 11 | 19 | 32 | 17 | 27 | 23 | 33 | 30 | 41 | 38 | 39 | 16 | 20 | 2 | 733 | 8·49 | |
| 4. <i>Diseases of the Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c. | 102 | 37 | 15 | 7 | 10 | 171 | 13 | 19 | 11 | 19 | 20 | 33 | 24 | 33 | 36 | 38 | 31 | 29 | 15 | 9 | 7 | 4 | 512 | 5·93 | |
| 5. <i>Diseases of the Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c. | 3 | 2 | ... | ... | ... | 5 | ... | 1 | 2 | 1 | 3 | 6 | 4 | 5 | 10 | 6 | 4 | 5 | 2 | 7 | ... | 61 | 0·71 | | |
| 6. <i>Diseases of the Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c. | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 3 | 5 | 1 | 3 | 3 | 2 | 2 | 2 | ... | ... | ... | 23 | 0·27 | | |
| 7. <i>Diseases of the Joints</i> —Arthritis, Ostitis, Periostitis, &c. | ... | 1 | 2 | ... | ... | 3 | 1 | 2 | 2 | ... | 2 | ... | 1 | 1 | 1 | 1 | 1 | 2 | 2 | ... | ... | ... | 14 | 0·16 | |
| 8. <i>Diseases of Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c. | 9 | 2 | 1 | 1 | ... | 13 | 1 | 1 | ... | 1 | ... | 2 | 1 | ... | 1 | 2 | 1 | ... | ... | ... | ... | 1 | 24 | 0·28 | |
| Total | 734 | 257 | 116 | 44 | 32 | 1183 | 75 | 45 | 54 | 72 | 113 | 129 | 122 | 114 | 137 | 142 | 145 | 118 | 121 | 61 | 56 | 17 | 2704 | | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of Children</i> —Cyanosis, Teething, &c. | 287 | 109 | 4 | ... | ... | 400 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 400 | 4·63 | |
| 2. <i>Diseases of Adults</i> —Paramenia, Childbirth, &c. | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 3 | 0·03 | |
| 3. <i>Diseases of Old People</i> —Old age, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 4 | 14 | 40 | 155 | 1 | 215 | 2·49 | | |
| 4. <i>Diseases of Nutrition</i> —Atrophy, Debility | 399 | 77 | 23 | 9 | 4 | 512 | 9 | 1 | 1 | 1 | 2 | 5 | 9 | 3 | 8 | 11 | 19 | 14 | 34 | 2 | 2 | 4 | 637 | 7·38 | |
| Total | 686 | 186 | 27 | 9 | 4 | 912 | 9 | 2 | 1 | 1 | 2 | 6 | 9 | 4 | 8 | 12 | 19 | 18 | 48 | 42 | 157 | 5 | 1255 | | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. | 25 | 35 | 26 | 17 | 11 | 114 | 48 | 35 | 26 | 48 | 61 | 53 | 36 | 33 | 24 | 29 | 27 | 22 | 12 | 8 | 5 | 21 | 602 | 6·98 | |
| 2. <i>Homicide</i> —Murder and Manslaughter | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 3 | 3 | 2 | ... | 1 | ... | 1 | ... | ... | ... | ... | 1 | 11 | 0·13 | |
| 3. <i>Suicide</i> —Poison, Drowning, Hanging, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 6 | 8 | 5 | 6 | 3 | 4 | 2 | 1 | 1 | ... | 2 | 40 | 0·46 | |
| 4. <i>Execution</i> —Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 | 0·05 | |
| Total | 26 | 35 | 26 | 17 | 11 | 115 | 48 | 35 | 26 | 49 | 69 | 62 | 44 | 40 | 30 | 32 | 32 | 24 | 13 | 9 | 5 | 24 | 657 | | |
| Unspecified | 2 | 1 | 1 | 1 | 1 | 6 | 4 | 2 | 3 | 5 | 7 | 4 | 7 | 13 | 12 | 13 | 14 | 1 | 11 | 1 | 1 | 57 | 161 | 1·87 | |
| Totals from all Causes | 2269 | 1233 | 577 | 299 | 196 | 4574 | 415 | 158 | 155 | 259 | 332 | 329 | 274 | 257 | 300 | 268 | 309 | 223 | 261 | 135 | 256 | 126 | 8631 | 100·00 | |

E 1.

SUMMARY of DEATHS of MALES registered in SYDNEY, from 1st January to 31st December, 1867.

| CAUSES OF DEATH. | | | | | | | | | | | Under 1 year. | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | Total of all Ages. | Percentage on Total Deaths of Males of the Year, in Sydney. |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---------------|---------|---------|---------|---------|----------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|--------------------|---|
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Miasmatic Diseases</i> —Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c. | 83 | 135 | 71 | 41 | 35 | 365 | 43 | 6 | 4 | 10 | 4 | 4 | 2 | 4 | 5 | 6 | 3 | 3 | 3 | 3 | 3 | 1 | 1 | 465 | 39·91 | | | | | | | | |
| 2. <i>Enthetic Diseases</i> —Syphilis, Gonorrhœa, &c. | 2 | 1 | ... | ... | ... | 3 | ... | | | | | | | | | | | | | | | | | | 3 | 0·25 | | | | | | | |
| 3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c. | 1 | ... | ... | ... | 1 | ... | | | | | | | | | | | | | | | | | | | 5 | 0·43 | | | | | | | |
| 4. <i>Parasitic Diseases</i> —Thrush, Worms, &c. | 1 | ... | 1 | ... | 1 | 3 | 1 | | | | | | | | | | | | | | | | | | 4 | 0·34 | | | | | | | |
| Total | 87 | 136 | 72 | 41 | 36 | 372 | 44 | 6 | 4 | 10 | 4 | 5 | 3 | 4 | 5 | 6 | 3 | 3 | 3 | 3 | 4 | 1 | 1 | 477 | | | | | | | | | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c. | ... | 1 | 2 | 1 | 4 | ... | 2 | ... | 5 | 2 | ... | 1 | 3 | 1 | 2 | 2 | 1 | 3 | 1 | 2 | 3 | 1 | 1 | 20 | 1·71 | | | | | | | | |
| 2. <i>Tubercular Diseases</i> —Scrofula, Phthisis, Hydrocephalus, &c. | 8 | 8 | 1 | 2 | 3 | 22 | 2 | ... | 5 | 6 | 20 | 7 | 9 | 8 | 6 | 8 | 3 | 2 | 2 | 1 | 1 | ... | 2 | 101 | 8·66 | | | | | | | | |
| Total | 8 | 9 | 3 | 2 | 4 | 26 | 2 | ... | 5 | 8 | 20 | 8 | 9 | 11 | 7 | 10 | 5 | 3 | 4 | ... | 1 | 2 | 121 | | | | | | | | | | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Convulsions, Insanity, Cephalitis, Brain Disease, &c. | 48 | 20 | 13 | 3 | 5 | 89 | 4 | ... | 1 | 4 | 3 | 4 | 6 | 4 | 6 | 5 | 2 | 3 | 4 | ... | 2 | 1 | 136 | 11·67 | | | | | | | | | |
| 2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease | 1 | 1 | ... | ... | 2 | ... | ... | 1 | 1 | 2 | 5 | 9 | 5 | 6 | 5 | 5 | 4 | 9 | 3 | 1 | 1 | 1 | 59 | 5·06 | | | | | | | | | |
| 3. <i>Diseases of the Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c. | 11 | 12 | 4 | 3 | 3 | 33 | 3 | 1 | 2 | 6 | 2 | 6 | 3 | 3 | 7 | 3 | 10 | 3 | 5 | 2 | 1 | 1 | 90 | 7·73 | | | | | | | | | |
| 4. <i>Diseases of the Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c. | 8 | 4 | 2 | 1 | 3 | 18 | ... | 1 | 1 | 1 | 5 | 1 | 4 | 4 | 7 | 6 | 6 | 2 | ... | 1 | 1 | 1 | 57 | 4·89 | | | | | | | | | |
| 5. <i>Diseases of the Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 3 | ... | ... | 1 | ... | 1 | 1 | 1 | 1 | 8 | 0·68 | | | | | | | | | |
| 6. <i>Diseases of the Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | | | | | | | | | |
| 7. <i>Diseases of the Joints</i> —Arthritis, Ostitis, Periostitis, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 0·08 | | | | | | | | | |
| 8. <i>Diseases of Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | 0·08 | | | | | | | | | |
| Total | 68 | 37 | 19 | 7 | 11 | 142 | 7 | 3 | 2 | 7 | 12 | 16 | 23 | 17 | 20 | 28 | 16 | 23 | 19 | 8 | 7 | 2 | 352 | | | | | | | | | | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of Children</i> —Cyanosis, Teething, &c. | 24 | 19 | ... | ... | ... | 43 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | 3 | 5 | 1 | 13 | 3·69 | | | | | | |
| 2. <i>Diseases of Old People</i> —Old Age, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | 3 | 5 | 1 | 1 | 68 | 1·11 | | | | | | | | | |
| 3. <i>Diseases of Nutrition</i> —Atrophy, Debility | 45 | 19 | 3 | 1 | ... | 68 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 592 | | | | | | | | |
| Total | 69 | 38 | 3 | 1 | ... | 111 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | 3 | 5 | 1 | 1 | 124 | | | | | | | | | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. | 2 | 1 | 3 | 1 | ... | 7 | 3 | 2 | 2 | 2 | 4 | 8 | 8 | 5 | 1 | 5 | 3 | 1 | ... | 1 | 2 | 54 | 4·63 | | | | | | | | | | |
| 2. <i>Wounds in Battle</i> —Gunshot Wounds, Sword, Bayonet, or other Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 0·08 | | | | | | | | |
| 3. <i>Homicide</i> —Murder and Manslaughter | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | | | | | | | | | |
| 4. <i>Suicide</i> —Poison, Drowning, Hanging, &c. | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 0·25 | | | | | | | | |
| 5. <i>Execution</i> —Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 0·25 | | | | | | | | |
| Total | 2 | 1 | 3 | 1 | ... | 7 | 3 | 2 | 2 | 3 | 7 | 8 | 11 | 5 | 1 | 5 | 3 | 1 | ... | 1 | 2 | 61 | | | | | | | | | | | |
| Unspecified | 1 | ... | ... | ... | 1 | 2 | ... | ... | 1 | ... | ... | ... | ... | 1 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | 24 | 30 | 2·58 | | | | | | | |
| Totals from all Causes | 235 | 221 | 100 | 52 | 52 | 660 | 56 | 11 | 13 | 29 | 43 | 37 | 46 | 37 | 34 | 51 | 27 | 31 | 29 | 15 | 15 | 31 | 1165 | 100·00 | | | | | | | | | |

SUMMARY of DEATHS of FEMALES registered in SYDNEY, from 1st January to 31st December, 1867.

| CAUSES OF DEATH. | Under 1 year. | Total of all Ages. | | | | | | | | | | | | | | | | | | Percentage of Total Deaths of Females of the Year, in Sydney. | | | | |
|--|---------------|--------------------|---------|---------|---------|----------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---|-----|-------|------|--------|
| | | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | | | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Miasmatic Diseases</i> —Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c. | 77 | 106 | 95 | 25 | 31 | 334 | 45 | 5 | 7 | 14 | 11 | 5 | 2 | 4 | 3 | 2 | 1 | ... | 2 | 1 | 5 | 441 | | |
| 2. <i>Enethic Diseases</i> —Syphilis, Gonorrhœa, &c. | 1 | 1 | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 44·74 | | |
| 3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c. | 6 | 1 | ... | ... | 7 | ... | ... | ... | ... | 1 | 2 | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | 12 | 0·20 | | |
| 4. <i>Parasitic Diseases</i> —Thrush, Worms, &c. | 1 | 1 | 1 | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 1·21 | | |
| Total | 85 | 109 | 95 | 26 | 31 | 346 | 45 | 5 | 7 | 14 | 12 | 7 | 3 | 4 | 3 | 2 | 2 | ... | 2 | 1 | 5 | 458 | 0·30 | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c. | ... | 2 | ... | ... | 2 | ... | ... | ... | ... | 1 | ... | 1 | 3 | 3 | 1 | 1 | 3 | 2 | 4 | 1 | 1 | 23 | | |
| 2. <i>Tubercular Diseases</i> —Scrofula, Phthisis, Hydrocephalus, &c. | 8 | 9 | 4 | 1 | 22 | ... | 1 | 7 | 13 | 12 | 8 | 9 | 3 | 7 | 2 | 4 | 1 | ... | ... | ... | 89 | 9·03 | | |
| Total | 8 | 11 | 4 | 1 | 24 | ... | 1 | 7 | 14 | 12 | 9 | 12 | 6 | 8 | 3 | 7 | 3 | 4 | 1 | 1 | 112 | 2·34 | | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of the Nervous System</i> —Apoplex, Paralysis, Convulsions, Insanity, Cephalitis, Brain Disease, &c. | 29 | 22 | 9 | 6 | 1 | 67 | 3 | 1 | 2 | 1 | ... | 1 | 2 | 2 | 1 | 1 | 4 | ... | 4 | 1 | 1 | 91 | | |
| 2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | 2 | ... | 2 | 1 | 3 | 2 | 2 | 3 | ... | 1 | 19 | 1·93 | | |
| 3. <i>Diseases of the Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c. | 22 | 14 | 6 | 2 | 3 | 47 | ... | 1 | ... | 1 | 3 | 1 | 3 | 3 | 3 | 4 | 5 | 5 | 3 | 2 | 3 | 84 | | |
| 4. <i>Diseases of the Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c. | 12 | 4 | 1 | ... | 1 | 18 | 1 | 1 | ... | 3 | 5 | 4 | ... | 5 | 6 | 6 | 3 | 3 | 2 | 1 | 58 | | | |
| 5. <i>Diseases of the Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c. | 1 | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 4 | 0·40 | | |
| 6. <i>Diseases of the Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 3 | 0·30 | | |
| 7. <i>Diseases of the Joints</i> —Arthritis, Ostitis, Periostitis, &c. | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 0·10 | | |
| 8. <i>Diseases of Integumentary System</i> —Phlegmon, Ulcer, Skin Diseases, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| Total | 64 | 40 | 16 | 8 | 5 | 133 | 5 | 4 | 5 | 5 | 10 | 8 | 7 | 12 | 15 | 13 | 14 | 11 | 9 | 3 | 6 | 260 | — | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of Children</i> —Cyanosis, Teething, &c. | 28 | 11 | 1 | ... | 40 | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | 40 | 4·06 | | |
| 2. <i>Diseases of Adults</i> —Paramenia, Childbirth, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | 2 | 0·20 | | |
| 3. <i>Diseases of Old People</i> —Old Age, &c. | ... | ... | ... | ... | 55 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 3 | 2 | 3 | 11 | ... | 2·02 | | |
| 4. <i>Diseases of Nutrition</i> —Atrophy, Debility | 44 | 6 | 5 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 55 | 5·58 | | |
| Total | 72 | 17 | 6 | ... | 95 | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | 3 | 2 | 3 | 11 | ... | 117 | — | | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. | 1 | 1 | 2 | ... | 4 | 1 | 2 | ... | 1 | 1 | 1 | ... | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 15 | 1·52 | | |
| 2. <i>Homicide</i> —Murder and Manslaughter | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 3. <i>Suicide</i> —Poison, Drowning, Hanging, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 4. <i>Execution</i> —Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| Total | 1 | 1 | 2 | ... | 4 | 1 | 2 | ... | 1 | 1 | 1 | ... | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 15 | — | | |
| Unspecified | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | 22 | 24 | 2·43 | |
| Totals from all Causes | 230 | 178 | 123 | 35 | 36 | 602 | 51 | 12 | 19 | 34 | 35 | 26 | 22 | 24 | 28 | 19 | 25 | 17 | 17 | 9 | 24 | 22 | 986 | 100·00 |

E 3.

SUMMARY of DEATHS of BOTH SEXES registered in SYDNEY, from 1st January to 31st December, 1867.

| CAUSES OF DEATH. | | | | | | | | | | | | | | | | | | | | | Per-cent-age on Total Deaths of the Year, in Sydney. | | | | |
|---|---------------|---------|---------|---------|---------|-------------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--|------|--------------------|--------|------|
| | Under 1 year. | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | ? | Total of all Ages. | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Miasmatic Diseases</i> —Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c. | 160 | 241 | 166 | 66 | 66 | 699 | 88 | 11 | 11 | 24 | 15 | 9 | 4 | 8 | 8 | 8 | 4 | 2 | 5 | 4 | 6 | ... | 906 | 42·12 | |
| 2. <i>Enthetic Diseases</i> —Syphilis, Gonorrhœa, &c. | 3 | 2 | ... | ... | ... | 5 | ... | ... | ... | ... | 1 | 3 | 2 | ... | ... | 1 | 1 | ... | 1 | ... | ... | 5 | 0·23 | | |
| 3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c. | 7 | 1 | ... | ... | ... | 8 | ... | ... | ... | ... | 1 | 3 | 2 | ... | ... | 1 | 1 | ... | 1 | ... | ... | 17 | 0·79 | | |
| 4. <i>Parasitic Diseases</i> —Thrush, Worms, &c. | 2 | 1 | 1 | 1 | 1 | 6 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 7 | 0·33 | | | |
| Total ... | 172 | 245 | 167 | 67 | 67 | 718 | 89 | 11 | 11 | 24 | 16 | 12 | 6 | 8 | 8 | 8 | 5 | 3 | 5 | 5 | 6 | ... | 935 | | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c. | ... | 3 | 2 | ... | 1 | 6 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 43 | 2·00 | |
| 2. <i>Tubercular Diseases</i> —Scrofula, Phthisis, Hydrocephalus, &c. | 16 | 17 | 5 | 3 | 3 | 44 | 2 | 1 | 12 | 19 | 32 | 15 | 18 | 11 | 13 | 10 | 7 | 3 | 1 | ... | 2 | 190 | 8·83 | | |
| Total ... | 16 | 20 | 7 | 3 | 4 | 50 | 2 | 1 | 12 | 22 | 32 | 17 | 21 | 17 | 15 | 13 | 12 | 6 | 8 | 1 | 2 | 2 | 233 | | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Convulsions, Insanity, Cephalitis, Brain Disease, &c. | 77 | 42 | 22 | 9 | 6 | 156 | 7 | 1 | 2 | 5 | 3 | 5 | 8 | 6 | 7 | 6 | 6 | 3 | 8 | 1 | 3 | ... | 227 | 10·55 | |
| 2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease | 1 | 1 | ... | ... | ... | 2 | ... | 1 | 3 | 1 | 4 | 5 | 11 | 6 | 9 | 7 | 7 | 7 | 9 | 3 | 2 | 1 | 78 | 3·62 | |
| 3. <i>Diseases of the Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c. | 33 | 26 | 10 | 5 | 6 | 80 | 3 | 2 | ... | 3 | 9 | 3 | 9 | 6 | 6 | 11 | 8 | 15 | 6 | 7 | 5 | 1 | 174 | 8·09 | |
| 4. <i>Diseases of the Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c. | 20 | 8 | 3 | 1 | 4 | 36 | 1 | 2 | 1 | 3 | 6 | 9 | 1 | 9 | 10 | 13 | 9 | 9 | 4 | ... | 2 | ... | 115 | 5·34 | |
| 5. <i>Diseases of the Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c. | 1 | ... | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | 1 | 2 | 3 | ... | ... | 1 | ... | 1 | ... | 1 | ... | 0·56 | | |
| 6. <i>Diseases of the Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 0·14 | | |
| 7. <i>Diseases of the Joints</i> —Arthritis, Ostitis, Periostitis, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 0·10 | | |
| 8. <i>Diseases of Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | 0·04 | | |
| Total... ... | 132 | 77 | 35 | 15 | 16 | 275 | 12 | 7 | 7 | 12 | 22 | 24 | 30 | 29 | 35 | 41 | 30 | 34 | 28 | 11 | 13 | 2 | 612 | | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of Children</i> —Cyanosis, Teething, &c. | 52 | 30 | 1 | ... | ... | 83 | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 83 | 3·86 | |
| 2. <i>Diseases of Adults</i> —Paramenia, Childbirth, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | 2 | 0·10 | | |
| 3. <i>Diseases of Old People</i> —Old Age, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 4 | 5 | 6 | 16 | 1 | 33 | 1·54 | | | |
| 4. <i>Diseases of Nutrition</i> —Atrophy, Debility | 89 | 25 | 8 | 1 | ... | 123 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 123 | 5·72 | |
| Total... ... | 141 | 55 | 9 | 1 | ... | 206 | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | 4 | 5 | 6 | 16 | 1 | 241 | | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. | 3 | 2 | 5 | 1 | ... | 11 | 4 | 4 | 2 | 3 | 5 | 9 | 8 | 6 | 2 | 5 | 4 | 1 | ... | 1 | 2 | 2 | 69 | 3·21 | |
| 2. <i>Wounds in Battle</i> —Gunshot Wounds, Sword, Bayonet, or other Wounds.... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 3. <i>Homicide</i> —Murder and Manslaughter.... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 0·04 | |
| 4. <i>Suicide</i> —Poison, Drowning, Hanging, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 0·14 | |
| 5. <i>Execution</i> —Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 0·14 | |
| Total... ... | 3 | 2 | 5 | 1 | ... | 11 | 4 | 4 | 2 | 4 | 8 | 9 | 11 | 6 | 2 | 5 | 4 | 1 | ... | 1 | 2 | 2 | 76 | | |
| Unspecified ... | 1 | ... | ... | ... | 1 | 2 | ... | ... | ... | 1 | ... | ... | ... | ... | 2 | 2 | 1 | ... | ... | ... | ... | ... | 46 | 54 | 2·51 |
| Totals from all Causes ... | 465 | 399 | 223 | 87 | 88 | 1262 | 107 | 23 | 32 | 63 | 78 | 63 | 68 | 61 | 62 | 70 | 52 | 48 | 46 | 24 | 39 | 53 | 2151 | 100·00 | |

F 1.

SUMMARY of DEATHS of MALES registered in the SUBURBAN DISTRICTS, from 1st January to 31st December, 1867.

| CAUSES OF DEATH. | Under 1 year. | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | • | Total of all Ages. | Percentage on Total Male Deaths of the Year. | |
|--|---------------|---------|---------|---------|---------|----------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------------|-----|--------------------|--|-------|
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Miasmatic Diseases</i> —Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c. | 52 | 76 | 33 | 31 | 14 | 206 | 38 | 7 | ... | 6 | 4 | 2 | 3 | 4 | ... | 4 | 3 | 1 | 1 | ... | ... | ... | ... | 279 | 37·65 |
| 2. <i>Ethytic Diseases</i> —Syphilis, Gonorrhœa, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 5 | 0·68 |
| 3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c. | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | 0·68 | |
| 4. <i>Parasitic Diseases</i> —Thrush, Worms, &c. | 2 | 1 | ... | ... | 1 | 4 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| Total | 55 | 77 | 33 | 31 | 15 | 211 | 39 | 7 | ... | 6 | 5 | 2 | 4 | 5 | 1 | 4 | 3 | 1 | 1 | ... | ... | ... | ... | 289 | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c. | ... | ... | ... | ... | ... | ... | 1 | 2 | 2 | ... | 5 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 12 | 1·62 |
| 2. <i>Tubercular Diseases</i> —Scrofula, Phthisis, Hydrocephalus, &c. | 7 | 12 | 3 | 2 | 1 | 25 | 4 | 3 | 1 | 6 | 4 | 4 | 2 | 6 | 3 | 1 | 2 | 1 | 1 | 2 | ... | 1 | 1 | 66 | 8·91 |
| Total | 7 | 13 | 5 | 4 | 1 | 30 | 5 | 3 | 1 | 6 | 4 | 4 | 2 | 6 | 4 | 3 | 3 | 3 | 1 | 2 | ... | 1 | 1 | 78 | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c. | 39 | 9 | 8 | 1 | ... | 57 | 6 | 1 | 1 | 2 | 1 | 2 | 1 | ... | 1 | 1 | 2 | 2 | 3 | 2 | ... | ... | ... | 82 | 11·07 |
| 2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 3 | 1 | 5 | 1 | 2 | ... | 3 | 1 | ... | ... | ... | 19 | |
| 3. <i>Diseases of the Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c. | 12 | 11 | 6 | 1 | 1 | 31 | 5 | 1 | 1 | 2 | 1 | 1 | ... | 2 | 3 | 1 | 5 | 3 | 3 | 4 | ... | ... | ... | 57 | |
| 4. <i>Diseases of the Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c. | 9 | 8 | 3 | 1 | 2 | 23 | 2 | 2 | 2 | 3 | 1 | 2 | 3 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | ... | ... | ... | 48 | |
| 5. <i>Diseases of the Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c. | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | 1 | ... | ... | ... | 2 | |
| 6. <i>Diseases of the Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 7. <i>Diseases of the Joints</i> —Arthritis, Ostitis, Periostitis, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 8. <i>Diseases of Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c. | 1 | 1 | ... | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | |
| Total | 61 | 30 | 17 | 3 | 3 | 114 | 13 | 4 | 4 | 5 | 5 | 7 | 8 | 2 | 14 | 3 | 8 | 7 | 11 | 4 | 1 | ... | ... | 210 | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of Children</i> —Cyanosis, Teething, &c. | 31 | 10 | ... | ... | ... | 41 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 41 | 5·53 |
| 2. <i>Diseases of Old People</i> —Old Age, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 5 | ... | ... | ... | 7 | 0·94 |
| 3. <i>Diseases of Nutrition</i> —Atrophy, Debility | 55 | 13 | 2 | 2 | 2 | 72 | 2 | ... | ... | ... | ... | ... | ... | ... | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 77 |
| Total | 86 | 23 | 2 | 2 | 2 | 113 | 2 | ... | ... | ... | ... | ... | ... | ... | 3 | ... | ... | ... | 2 | ... | 5 | ... | ... | 125 | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. | ... | 1 | 1 | ... | 1 | 3 | 2 | 2 | 3 | 4 | 4 | ... | ... | 4 | 1 | ... | 3 | 2 | 1 | ... | 1 | ... | 30 | 4·04 | |
| 2. <i>Homicide</i> —Murder and Manslaughter | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 3. <i>Suicide</i> —Poison, Drowning, Hanging, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | |
| 4. <i>Execution</i> —Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| Total | ... | 1 | 1 | ... | 1 | 3 | 2 | 2 | 3 | 4 | 4 | 2 | 1 | 4 | 1 | ... | 3 | 2 | 1 | ... | 1 | ... | 33 | | |
| Unspecified | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | 2 | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | 6 | |
| Totals from all Causes | 209 | 144 | 58 | 40 | 20 | 471 | 61 | 17 | 8 | 21 | 18 | 15 | 16 | 19 | 24 | 10 | 18 | 13 | 16 | 6 | 7 | 1 | 741 | 100·00 | |

F 2.

SUMMARY of DEATHS of FEMALES registered in the SUBURBAN DISTRICTS, from 1st January to 31st December, 1867.

| CAUSES OF DEATH. | | | | | | | | | | | | | | | | | | | | | Percentage on Total Female Deaths of the Year. | | | |
|---|---------------|---------|---------|---------|---------|-------------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--|--------------------|-------|--------|
| | Under 1 year. | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | Total of all Ages. | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Miasmatic Diseases</i> —Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c. | 53 | 70 | 44 | 21 | 17 | 205 | 23 | 3 | 4 | 5 | 4 | 7 | | 2 | 1 | | 3 | 1 | 1 | | 3 | 2 | 264 | 40·93 |
| 2. <i>Enthetic Diseases</i> —Syphilis, Gonorrhœa, &c. | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 0·31 | |
| 3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c. | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 0·31 | |
| 4. <i>Parasitic Diseases</i> —Thrush, Worms, &c. | 3 | 1 | 2 | ... | ... | 6 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 6 | 0·93 | |
| Total | 58 | 71 | 46 | 21 | 17 | 213 | 23 | 3 | 4 | 5 | 5 | 7 | 1 | 2 | 1 | ... | 3 | 1 | 1 | ... | 3 | 2 | 274 | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c. | 1 | ... | ... | ... | ... | 1 | 2 | 1 | ... | ... | 1 | 1 | 1 | 2 | 1 | ... | 1 | ... | 2 | 2 | 1 | ... | 14 | 2·17 |
| 2. <i>Tubercular Diseases</i> —Serofula, Phthisis, Hydrocephalus, &c. | 15 | 13 | 4 | 2 | ... | 34 | 1 | ... | 1 | 2 | 4 | 5 | 3 | 2 | 1 | ... | 1 | ... | ... | ... | ... | ... | 54 | 8·37 |
| Total | 16 | 13 | 4 | 2 | 1 | 36 | 2 | ... | 1 | 2 | 5 | 6 | 3 | 4 | 2 | ... | 2 | ... | 2 | 2 | 1 | ... | 68 | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c. | 31 | 12 | 3 | 1 | ... | 47 | 2 | 2 | 2 | 1 | 1 | 3 | ... | 2 | 4 | 2 | 5 | 2 | 1 | ... | 74 | 11·47 | | |
| 2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | 2 | ... | ... | ... | 3 | 1 | ... | 8 | 1·24 | |
| 3. <i>Diseases of the Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c. | 15 | 18 | 9 | 3 | ... | 45 | 2 | ... | 2 | 2 | 1 | 3 | 1 | 1 | 1 | ... | 1 | ... | 2 | ... | ... | 61 | 9·46 | |
| 4. <i>Diseases of the Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c. | 9 | 3 | 2 | 1 | 1 | 16 | 1 | ... | 1 | 1 | 2 | 4 | 3 | 3 | ... | 2 | ... | 1 | 1 | ... | 35 | 5·43 | | |
| 5. <i>Diseases of the Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 0·47 | | |
| 6. <i>Diseases of the Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | 3 | 0·47 | | |
| 7. <i>Diseases of the Joints</i> —Arthritis, Ostitis, Periostitis, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 0·15 | |
| 8. <i>Diseases of Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c. | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | |
| Total | 57 | 33 | 14 | 5 | 1 | 110 | 5 | 2 | 3 | 4 | 4 | 6 | 10 | 6 | 6 | 7 | 4 | 5 | 5 | 5 | 3 | ... | 185 | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of Children</i> —Cyanosis, Teething, &c. | 22 | 7 | ... | ... | ... | 29 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 29 | 4·50 |
| 2. <i>Diseases of Adults</i> —Paramenia, Childbirth, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 3. <i>Diseases of Old People</i> —Old Age, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | |
| 4. <i>Diseases of Nutrition</i> —Atrophy, Debility | 40 | 7 | 5 | 5 | 3 | 60 | 4 | ... | ... | ... | ... | 1 | 1 | 1 | 1 | ... | 1 | 2 | 1 | ... | ... | 72 | 11·16 | |
| Total | 62 | 14 | 5 | 5 | 3 | 89 | 4 | ... | ... | ... | ... | 1 | 1 | 1 | 1 | ... | 1 | 2 | 2 | ... | 1 | ... | 103 | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. | 2 | 1 | 1 | 1 | ... | 5 | 3 | 1 | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 12 | 1·86 |
| 2. <i>Homicide</i> —Murder and Manslaughter | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 3. <i>Suicide</i> —Poison, Drowning, Hanging, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 4. <i>Execution</i> —Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| Total | 2 | 1 | 1 | 1 | ... | 5 | 3 | 1 | ... | 1 | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 12 | |
| Unspecified | ... | 1 | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 0·46 |
| Totals from all Causes | 195 | 133 | 70 | 34 | 22 | 454 | 38 | 6 | 8 | 12 | 15 | 21 | 15 | 13 | 10 | 7 | 10 | 8 | 10 | 7 | 9 | 2 | 645 | 100·00 |

F 3.

SUMMARY OF DEATHS of Both SEXES registered in the SUBURBAN DISTRICTS, from 1st January to 31st December, 1867.

| | CAUSES OF DEATH. | Under 1 year. | | | | | | | | | | | | | | | | | | | | Total under 5 years. | | | | | | | | | | | | | | | | | | | | Total of all Ages. | | Percentage on Total Deaths of the Year. |
|---|------------------|---------------|---------|---------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------------|-----|----------------------|-------|--------|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|---|---|---|---|--------------------|--|--|
| | | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | ? | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Miasmatic Diseases</i> —Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c. | 105 | 146 | 77 | 52 | 31 | 411 | 61 | 10 | 4 | 11 | 8 | 9 | 3 | 6 | 1 | 4 | 6 | 2 | 2 | 3 | 2 | 543 | 39·18 | | | | | | | | | | | | | | | | | | | | | |
| 2. <i>Enthetic Diseases</i> —Syphilis, Gonorrhœa, &c. | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 0·14 | | | | | | | | | | | | | | | | | | | | | | |
| 3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c. | 2 | ... | ... | ... | ... | 2 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 0·50 | | | | | | | | | | | | | | | | | | | | | | |
| 4. <i>Parasitic Diseases</i> —Thrush, Worms, &c. | 5 | 2 | 2 | 1 | 10 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 0·79 | | | | | | | | | | | | | | | | | | | | | | |
| Total | 113 | 148 | 79 | 52 | 32 | 424 | 62 | 10 | 4 | 11 | 10 | 9 | 5 | 7 | 2 | 4 | 6 | 2 | 2 | 3 | 2 | 563 | 4·20 | | | | | | | | | | | | | | | | | | | | | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diabetic Diseases</i> —Gout, Dropsy, Cancer, &c. | 1 | 1 | 2 | 2 | 1 | 7 | 2 | ... | ... | ... | 1 | 1 | ... | 2 | 2 | 2 | 2 | 2 | 2 | 1 | 1 | 26 | 1·88 | | | | | | | | | | | | | | | | | | | | | |
| 2. <i>Tubercular Diseases</i> —Scrofula, Phthisis, Hydrocephalus, &c. | 22 | 25 | 7 | 4 | 1 | 59 | 5 | 3 | 2 | 8 | 8 | 9 | 5 | 8 | 4 | 1 | 3 | 1 | 1 | 1 | 1 | 120 | 8·66 | | | | | | | | | | | | | | | | | | | | | |
| Total | 23 | 26 | 9 | 6 | 2 | 66 | 7 | 3 | 2 | 8 | 9 | 10 | 5 | 10 | 6 | 3 | 5 | 3 | 3 | 4 | 1 | 1 | 146 | 0·41 | | | | | | | | | | | | | | | | | | | | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c. | 70 | 21 | 11 | 2 | ... | 104 | 8 | 3 | 3 | 2 | 2 | 3 | 4 | ... | 3 | 5 | 4 | 7 | 5 | 3 | ... | 156 | 11·25 | | | | | | | | | | | | | | | | | | | | | |
| 2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | 1 | 1 | 2 | 3 | 1 | 5 | 3 | 2 | ... | ... | ... | 27 | 1·95 | | | | | | | | | | | | | | | | | | | | | | |
| 3. <i>Diseases of the Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c. | 27 | 29 | 15 | 4 | 1 | 76 | 7 | 1 | 1 | 2 | 4 | 2 | 4 | 1 | 6 | 1 | 3 | 3 | 5 | 2 | ... | 118 | 8·51 | | | | | | | | | | | | | | | | | | | | | |
| 4. <i>Diseases of the Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c. | 18 | 11 | 5 | 2 | 3 | 39 | 3 | 2 | 3 | 4 | 1 | 4 | 7 | 4 | 6 | 1 | 3 | 1 | 2 | 1 | ... | 83 | 5·99 | | | | | | | | | | | | | | | | | | | | | |
| 5. <i>Diseases of the Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c. | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 2 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 5 | 0·36 | | | | | | | | | | | | | | | | | | | | | |
| 6. <i>Diseases of the Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 0·22 | | | | | | | | | | | | | | | | | | | | | |
| 7. <i>Diseases of the Joints</i> —Arthritis, Ostitis, Periostitis, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | | | | | | | |
| 8. <i>Diseases of Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c. | 2 | 1 | ... | ... | ... | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 0·22 | | | | | | | | | | | | | | | | | | | | |
| Total | 118 | 63 | 31 | 8 | 4 | 224 | 18 | 6 | 7 | 9 | 9 | 13 | 18 | 8 | 20 | 10 | 12 | 12 | 16 | 9 | 4 | ... | 395 | 0·41 | | | | | | | | | | | | | | | | | | | | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of Children</i> —Cyanosis, Teething, &c. | 53 | 17 | ... | ... | ... | 70 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 70 | 5·05 | | | | | | | | | | | | | | | | | | | |
| 2. <i>Diseases of Adults</i> —Paramenia, Childbirth, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | | | | | | |
| 3. <i>Diseases of Old People</i> —Old Age, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 9 | 0·65 | | | | | | | | | | | | | | | | | | |
| 4. <i>Diseases of Nutrition</i> —Atrophy, Debility | 95 | 20 | 7 | 7 | 3 | 132 | 6 | ... | ... | ... | ... | 1 | 1 | 1 | 4 | ... | 1 | 2 | 1 | ... | ... | 149 | 10·75 | | | | | | | | | | | | | | | | | | | | | |
| Total | 148 | 37 | 7 | 7 | 3 | 202 | 6 | ... | ... | ... | ... | 1 | 1 | 1 | 4 | ... | 1 | 2 | 4 | ... | 6 | ... | 228 | 0·43 | | | | | | | | | | | | | | | | | | | | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. | 2 | 2 | 2 | 1 | 1 | 8 | 5 | 3 | 3 | 5 | 5 | 1 | ... | 4 | 1 | ... | 3 | 2 | 1 | ... | 1 | ... | 42 | 3·03 | | | | | | | | | | | | | | | | | | | | |
| 2. <i>Homicide</i> —Murder and Manslaughter | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 0·22 | | | | | | | | | | | | | | | | | | | | |
| 3. <i>Suicide</i> —Poison, Drowning, Hanging, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | | | | | | | |
| 4. <i>Execution</i> —Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | | | | | | |
| Total | 2 | 2 | 2 | 1 | 1 | 8 | 5 | 3 | 3 | 5 | 5 | 3 | 1 | 4 | 1 | ... | 3 | 2 | 1 | ... | 1 | ... | 45 | 0·43 | | | | | | | | | | | | | | | | | | | | |
| Unspecified | 1 | ... | ... | ... | ... | 1 | 1 | 1 | ... | ... | ... | 1 | 2 | 1 | ... | 1 | ... | 1 | ... | 1 | ... | 9 | 0·65 | | | | | | | | | | | | | | | | | | | | | |
| Totals from all Causes | 404 | 277 | 128 | 74 | 42 | 925 | 99 | 23 | 16 | 33 | 33 | 36 | 31 | 32 | 34 | 17 | 28 | 21 | 26 | 13 | 16 | 3 | 1386 | 100·00 | | | | | | | | | | | | | | | | | | | | |

G 1.

SUMMARY of DEATHS of MALES registered in the COUNTRY DISTRICTS, from 1st January to 31st December, 1867.

| CAUSES OF DEATH. | | | | | | | | | | | | | | | | | | | | | | | | Percentage on Total Male Deaths of the Year. | |
|--|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|---|-------|
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Miasmatic Diseases</i> —Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c. | 235 | 141 | 71 | 44 | 21 | 512 | 58 | 12 | 12 | 15 | 10 | 20 | 11 | 7 | 13 | 17 | 15 | 12 | 19 | 3 | 11 | 2 | 749 | 23·29 | |
| 2. <i>Enthetic Diseases</i> —Syphilis, Gonorrhœa, &c. | 2 | ... | ... | ... | 2 | ... | ... | ... | ... | ... | 2 | 1 | ... | 2 | ... | ... | ... | ... | ... | ... | ... | ... | 9 | 0·30 | |
| 3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c. | 1 | 1 | 1 | 1 | 1 | 4 | 2 | 2 | 1 | 1 | 7 | 4 | 4 | 5 | 10 | 5 | 3 | 6 | 2 | 1 | 10 | 68 | 2·11 | | |
| 4. <i>Parasitic Diseases</i> —Thrush, Worms, &c. | 8 | 1 | 1 | 1 | 1 | 10 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 11 | 0·34 | | |
| Total... | 246 | 142 | 72 | 46 | 22 | 528 | 60 | 15 | 13 | 16 | 17 | 26 | 16 | 12 | 25 | 22 | 18 | 18 | 23 | 4 | 12 | 12 | 837 | | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c. | 2 | ... | ... | ... | 1 | ... | 3 | 1 | ... | 1 | 2 | 5 | 6 | 4 | 4 | 17 | 6 | 17 | 12 | 14 | 5 | 6 | 1 | 104 | 12·62 |
| 2. <i>Tubercular Diseases</i> —Scrofula, Phthisis, Hydrocephalus, &c. | 35 | 15 | 5 | 2 | 1 | 58 | 4 | 3 | 7 | 11 | 15 | 17 | 14 | 9 | 22 | 5 | 12 | 6 | 5 | ... | 1 | 2 | 191 | 3·23 | |
| Total... | 37 | 15 | 5 | 3 | 1 | 61 | 5 | 3 | 8 | 13 | 20 | 23 | 18 | 13 | 39 | 11 | 29 | 18 | 19 | 5 | 7 | 3 | 295 | | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c. | 177 | 22 | 11 | 4 | 1 | 215 | 5 | 3 | 8 | 6 | 17 | 17 | 15 | 14 | 16 | 19 | 15 | 11 | 18 | 15 | 7 | 5 | 406 | 5·94 | |
| 2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease | ... | ... | 1 | ... | 1 | ... | 1 | 1 | 2 | 5 | 9 | 12 | 21 | 17 | 17 | 7 | 12 | 19 | 8 | 10 | 5 | 6 | 2 | 154 | 4·79 |
| 3. <i>Diseases of the Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c. | 58 | 24 | 12 | 4 | 5 | 103 | 7 | 2 | 8 | 8 | 10 | 9 | 11 | 11 | 14 | 13 | 24 | 15 | 22 | 6 | 10 | 1 | 274 | 8·52 | |
| 4. <i>Diseases of the Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c. | 40 | 6 | 5 | 2 | 2 | 55 | 6 | 7 | 3 | 7 | 8 | 13 | 12 | 13 | 14 | 15 | 15 | 16 | 3 | 7 | 1 | 3 | 198 | 6·16 | |
| 5. <i>Diseases of the Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c. | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 4 | ... | 1 | 7 | 5 | 3 | 3 | 2 | 5 | ... | 33 | 1·02 | | |
| 6. <i>Diseases of the Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c. | ... | ... | ... | ... | ... | ... | 2 | 1 | 2 | ... | 2 | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | 10 | 0·31 | | |
| 7. <i>Diseases of the Joints</i> —Arthritis, Ostitis, Periostitis, &c. | ... | 1 | 1 | ... | ... | ... | 2 | 1 | 2 | ... | 2 | ... | 1 | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | 10 | 0·31 | |
| 8. <i>Diseases of Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c. | 4 | ... | 1 | 1 | 1 | 6 | 1 | 1 | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | 1085 | | |
| Total... | 279 | 53 | 30 | 12 | 8 | 382 | 20 | 16 | 26 | 31 | 50 | 61 | 59 | 56 | 53 | 67 | 79 | 53 | 57 | 35 | 29 | 11 | 1085 | | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of Children</i> —Cyanosis, Teething, &c. | 95 | 27 | ... | ... | ... | 122 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 122 | 3·80 | |
| 2. <i>Diseases of Old People</i> —Old Age, &c. | ... | ... | ... | ... | ... | 145 | 1 | ... | 1 | 1 | 2 | 2 | 7 | 2 | 3 | 9 | 12 | 8 | 27 | 2 | 2 | 2 | 132 | 4·10 | |
| 3. <i>Diseases of Nutrition</i> —Atrophy, Debility, &c. | 122 | 15 | 8 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 226 | 7·03 | |
| Total... | 217 | 42 | 8 | ... | ... | 267 | 1 | ... | 1 | 1 | 2 | 2 | 7 | 2 | 3 | 9 | 12 | 8 | 32 | 26 | 105 | 2 | 480 | | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. | 10 | 21 | 11 | 10 | 5 | 57 | 25 | 23 | 17 | 36 | 49 | 36 | 25 | 22 | 18 | 24 | 17 | 17 | 10 | 7 | 2 | 15 | 400 | 12·44 | |
| 2. <i>Homicide</i> —Murder and Manslaughter | 1 | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 2 | 3 | ... | 2 | ... | 1 | ... | 1 | ... | ... | ... | ... | 10 | 0·31 | |
| 3. <i>Suicide</i> —Poison, Drowning, Hanging, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 4 | 3 | 5 | 6 | 2 | 2 | 2 | 1 | 1 | ... | 2 | 30 | 0·93 | |
| 4. <i>Execution</i> —Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 0·03 | |
| Total... | 11 | 21 | 11 | 10 | 5 | 58 | 25 | 23 | 17 | 36 | 54 | 43 | 28 | 29 | 24 | 26 | 20 | 19 | 11 | 8 | 2 | 18 | 441 | | |
| Unspecified | ... | 1 | ... | ... | ... | 1 | 2 | ... | 2 | 3 | 5 | 4 | 6 | 9 | 8 | 10 | 9 | 1 | 9 | ... | ... | 9 | 78 | 2·42 | |
| Totals from all Causes | 791 | 273 | 126 | 71 | 36 | 1297 | 113 | 57 | 67 | 100 | 148 | 159 | 134 | 121 | 152 | 145 | 167 | 117 | 151 | 78 | 155 | 55 | 3216 | 100·00 | |

SUMMARY of DEATHS of FEMALES registered in the COUNTRY DISTRICTS, from 1st January to 31st December, 1867.

| CAUSES OF DEATH. | | | | | | | | | | | | | | | | | | | | Per centage on Total Female Deaths of the Year. | | | | | |
|--|---------------|---------|---------|---------|---------|----------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---|-----------------|------|-------|--------|--|
| | Under 1 year. | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | | | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Miasmatic Diseases</i> —Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c. . . | 175 | 149 | 65 | 46 | 20 | 455 | 49 | 25 | 16 | 24 | 22 | 20 | 14 | 10 | 6 | 1 | 3 | 7 | 3 | 3 | 3 | 667 | 35·52 | | |
| 2. <i>Enthetic Diseases</i> —Syphilis, Gonorrhœa, &c. | 3 | ... | ... | 1 | ... | 4 | ... | 1 | ... | ... | 1 | 1 | ... | 2 | 1 | 3 | 2 | ... | ... | ... | ... | 5 | 0·27 | | |
| 3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c. | ... | ... | ... | ... | ... | 9 | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 11 | 0·59 | | |
| 4. <i>Parasitic Diseases</i> —Thrush, Worms, &c. | 8 | 1 | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 10 | 0·53 | | |
| Total | 186 | 150 | 65 | 47 | 20 | 468 | 50 | 25 | 16 | 25 | 23 | 21 | 14 | 12 | 8 | 3 | 9 | 7 | 3 | 3 | 3 | 693 | | | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c. | ... | ... | 2 | 2 | ... | 4 | 1 | 1 | 1 | 2 | 5 | 2 | 2 | 4 | 7 | 5 | 13 | 4 | 3 | 3 | 3 | 57 | 3·03 | | |
| 2. <i>Tubercular Diseases</i> —Scrofula, Phthisis, Hydrocephalus, &c. | 28 | 8 | 1 | 2 | ... | 39 | 3 | 5 | 4 | 11 | 9 | 8 | 5 | 3 | 3 | 2 | 1 | 2 | ... | ... | ... | 95 | 5·06 | | |
| Total | 28 | 8 | 3 | 4 | ... | 43 | 4 | 6 | 5 | 13 | 14 | 10 | 7 | 7 | 10 | 5 | 15 | 5 | 5 | 3 | 3 | 152 | | | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c. | 128 | 22 | 8 | 2 | ... | 160 | 9 | 5 | 5 | 3 | 6 | 10 | 3 | 4 | 9 | 3 | 4 | 7 | 3 | 3 | 2 | 236 | 12·57 | | |
| 2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease . . . | 2 | ... | ... | ... | ... | 2 | 2 | 1 | 2 | 3 | 10 | 6 | 2 | 2 | 3 | 4 | 7 | 4 | 2 | 3 | 3 | 53 | 2·82 | | |
| 3. <i>Diseases of the Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c. . | 46 | 28 | 9 | 5 | 3 | 91 | 11 | 2 | 2 | 6 | 9 | 3 | 3 | 5 | 7 | 5 | 6 | 5 | 6 | 3 | 3 | 167 | 8·89 | | |
| 4. <i>Diseases of the Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c. . | 24 | 12 | 2 | 2 | 1 | 41 | 3 | 8 | 4 | 5 | 5 | 7 | 4 | 7 | 6 | 9 | 4 | 3 | 6 | 3 | 1 | 116 | 6·18 | | |
| 5. <i>Diseases of the Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c. | 2 | 1 | ... | ... | ... | 3 | ... | ... | 1 | ... | 1 | 1 | 1 | 1 | 2 | ... | 1 | 1 | ... | 1 | 11 | 0·59 | | | |
| 6. <i>Diseases of the Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c. . . . | ... | ... | ... | 1 | ... | 1 | ... | ... | 1 | 1 | 2 | 3 | 1 | 2 | 2 | 2 | 1 | 1 | ... | 1 | 17 | 0·90 | | | |
| 7. <i>Diseases of the Joints</i> —Arthritis, Ostitis, Periostitis, &c. | ... | ... | 1 | ... | ... | 4 | ... | ... | 1 | ... | 2 | 1 | ... | ... | 1 | ... | ... | 1 | ... | 1 | 2 | 0·11 | | | |
| 8. <i>Diseases of Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c. . . . | 3 | 1 | ... | ... | ... | 4 | ... | ... | 1 | ... | 2 | 1 | ... | ... | 1 | ... | ... | 1 | ... | 1 | 10 | 0·53 | | | |
| Total | 205 | 64 | 20 | 9 | 4 | 302 | 25 | 16 | 14 | 20 | 32 | 31 | 15 | 21 | 29 | 24 | 24 | 19 | 20 | 6 | 10 | 4 | 612 | | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of Children</i> —Cyanosis, teething, &c. | 87 | 35 | 3 | ... | ... | 125 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 125 | 6·66 | | |
| 2. <i>Diseases of Adults</i> —Paramenia, Childbirth, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 0·05 | | |
| 3. <i>Diseases of Old People</i> —Old age, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 41 | 2·18 | | |
| 4. <i>Diseases of Nutrition</i> —Atrophy, Debility | 93 | 17 | ... | 1 | 1 | 112 | 2 | 1 | ... | ... | 2 | 1 | ... | 1 | 2 | 6 | 4 | 6 | ... | 2 | 139 | 7·40 | | | |
| Total | 180 | 52 | 3 | 1 | 1 | 237 | 2 | 2 | ... | ... | 2 | 1 | ... | 1 | 2 | 6 | 4 | 7 | 10 | 30 | 2 | 306 | | | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. | 10 | 10 | 8 | 5 | 5 | 38 | 14 | 5 | 4 | 4 | 2 | 7 | 3 | 1 | 3 | 3 | 2 | 1 | ... | 4 | 91 | 4·85 | | | |
| 2. <i>Homicide</i> —Murder and Manslaughter | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | |
| 3. <i>Suicide</i> —Poison, Drowning, Hanging, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | 1 | 2 | ... | ... | ... | ... | ... | 4 | 0·21 | | |
| 4. <i>Execution</i> —Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | |
| Total | 10 | 10 | 8 | 5 | 5 | 38 | 14 | 5 | 4 | 4 | 2 | 7 | 4 | 1 | 3 | 1 | 5 | 2 | 1 | ... | 4 | 95 | | | |
| Unspecified | ... | ... | 1 | 1 | ... | 2 | 1 | 1 | 1 | 2 | ... | 2 | 1 | 1 | 3 | ... | 2 | 1 | ... | 2 | 20 | 1·06 | | | |
| Totals from all Causes | 609 | 284 | 100 | 67 | 30 | 1090 | 96 | 55 | 40 | 63 | 73 | 71 | 41 | 43 | 52 | 36 | 62 | 37 | 38 | 20 | 46 | 15 | 1878 | 100·00 | |

G 3.

SUMMARY of DEATHS of BOTH SEXES registered in the COUNTRY DISTRICTS, from 1st January to 31st December, 1867.

| CAUSES OF DEATH. | | | | | | | | | | | | | | | | | | | | | Percentage on Total Deaths of the Year. | | | |
|--|---------------|---------|---------|---------|---------|-------------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--|-----|------|------------------|
| | Under 1 year. | 1 to 2. | 2 to 3. | 3 to 4. | 4 to 5. | Total under 5 years. | 5 to 10. | 10 to 15. | 15 to 20. | 20 to 25. | 25 to 30. | 30 to 35. | 35 to 40. | 40 to 45. | 45 to 50. | 50 to 55. | 55 to 60. | 60 to 65. | 65 to 70. | 70 to 75. | 75 and upwards. | | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Miasmatic Diseases</i> —Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c. | 410 | 290 | 136 | 90 | 41 | 967 | 107 | 37 | 28 | 39 | 32 | 40 | 25 | 17 | 19 | 17 | 22 | 19 | 22 | 6 | 14 | 5 | 1416 | 27·80 |
| 2. <i>Enthetic Diseases</i> —Syphilis, Gonorrhœa, &c. | 5 | ... | 1 | 6 | ... | 6 | ... | ... | ... | 2 | 1 | ... | 3 | 7 | 11 | 8 | 5 | 6 | 2 | 1 | 1 | 10 | 14 | 0·28 |
| 3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c. | 1 | ... | 1 | 1 | 1 | 4 | 3 | 2 | 1 | 1 | 8 | 5 | 4 | 7 | 11 | 8 | 5 | 6 | 2 | 1 | 1 | 79 | 1·55 | |
| 4. <i>Parasitic Diseases</i> —Thrush, Worms, &c. | 16 | 2 | ... | 1 | ... | 19 | ... | 1 | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 21 | 0·41 | |
| Total | 432 | 292 | 137 | 93 | 42 | 996 | 110 | 40 | 29 | 41 | 40 | 47 | 30 | 24 | 33 | 25 | 27 | 25 | 26 | 7 | 15 | 15 | 1530 | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | 3·16 |
| 1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c. | 2 | ... | 2 | 3 | ... | 7 | 2 | 1 | 2 | 4 | 10 | 8 | 6 | 8 | 24 | 11 | 30 | 16 | 17 | 5 | 9 | 1 | 161 | 5·61 |
| 2. <i>Tubercular Diseases</i> —Scrofula, Phthisis, Hydrocephalus, &c. | 63 | 23 | 6 | 4 | 1 | 97 | 7 | 8 | 11 | 22 | 24 | 25 | 19 | 12 | 25 | 5 | 14 | 7 | 7 | 1 | 2 | 286 | | |
| Total | 65 | 23 | 8 | 7 | 1 | 104 | 9 | 9 | 13 | 26 | 34 | 33 | 25 | 20 | 49 | 16 | 44 | 23 | 24 | 5 | 10 | 3 | 447 | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | VITAL STATISTICS |
| 1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c. | 305 | 44 | 19 | 6 | 1 | 375 | 14 | 8 | 13 | 9 | 23 | 27 | 18 | 18 | 25 | 22 | 19 | 18 | 21 | 18 | 7 | 7 | 642 | 12·60 |
| 2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease | 2 | ... | 1 | 3 | 3 | 3 | 3 | 7 | 12 | 22 | 27 | 19 | 19 | 10 | 16 | 26 | 12 | 12 | 5 | 9 | 2 | 207 | 4·06 | |
| 3. <i>Diseases of the Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c. | 104 | 52 | 21 | 9 | 8 | 194 | 18 | 4 | 10 | 14 | 19 | 12 | 14 | 16 | 21 | 18 | 30 | 20 | 28 | 9 | 13 | 1 | 441 | 8·66 |
| 4. <i>Diseases of the Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c. | 64 | 18 | 7 | 4 | 3 | 96 | 9 | 15 | 7 | 12 | 13 | 20 | 16 | 20 | 20 | 24 | 19 | 19 | 9 | 7 | 4 | 4 | 314 | 6·16 |
| 5. <i>Diseases of the Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c. | 2 | 1 | ... | ... | ... | 3 | ... | ... | 2 | 1 | 1 | 5 | 1 | 3 | 7 | 6 | 3 | 4 | 2 | 6 | ... | 44 | 0·86 | |
| 6. <i>Diseases of the Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c. | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 2 | 3 | 1 | 2 | 2 | 2 | 2 | ... | 1 | ... | ... | ... | 17 | 0·33 | |
| 7. <i>Diseases of the Joints</i> —Arthritis, Ostitis, Periostitis, &c. | ... | ... | 1 | 2 | ... | 3 | ... | 1 | 2 | ... | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | ... | ... | 12 | 0·24 | |
| 8. <i>Diseases of Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c. | 7 | 1 | 1 | 1 | ... | 10 | 1 | 1 | ... | 1 | ... | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 20 | 0·39 |
| Total | 484 | 117 | 50 | 21 | 12 | 684 | 45 | 32 | 46 | 51 | 82 | 92 | 74 | 77 | 82 | 91 | 103 | 72 | 77 | 41 | 39 | 15 | 1697 | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of Children</i> —Cyanosis, Teething, &c. | 182 | 62 | 3 | ... | ... | 247 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 247 | 4·85 |
| 2. <i>Diseases of Adults</i> —Paramenia, Childbirth, &c. | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 0·02 |
| 3. <i>Diseases of Old People</i> —Old Age, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 173 | 3·40 |
| 4. <i>Diseases of Nutrition</i> —Atrophy, Debility | 215 | 32 | 8 | 1 | 1 | 257 | 3 | 1 | 1 | 1 | 2 | 4 | 8 | 2 | 4 | 11 | 18 | 12 | 33 | 2 | 2 | 4 | 365 | 7·17 |
| Total | 397 | 94 | 11 | 1 | 1 | 504 | 3 | 2 | 1 | 1 | 2 | 4 | 8 | 2 | 4 | 11 | 18 | 12 | 39 | 36 | 135 | 4 | 786 | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. | 20 | 31 | 19 | 15 | 10 | 95 | 39 | 28 | 21 | 40 | 51 | 43 | 28 | 23 | 21 | 24 | 20 | 19 | 11 | 7 | 2 | 19 | 491 | 9·64 |
| 2. <i>Wounds in Battle</i> —Gunshot Wounds, Sword, Bayonet, or other Wounds | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | 2 | 3 | 2 | ... | 1 | ... | ... | ... | ... | ... | ... | 0·20 | |
| 3. <i>Homicide</i> —Murder and Manslaughter | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 4 | 4 | 5 | 6 | 3 | 4 | 2 | 1 | 1 | ... | 1 | 34 | 0·67 |
| 4. <i>Suicide</i> —Poison, Drowning, Hanging, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 0·02 | |
| 5. <i>Execution</i> —Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | |
| Total | 21 | 31 | 19 | 15 | 10 | 96 | 39 | 28 | 21 | 40 | 56 | 50 | 32 | 30 | 27 | 27 | 25 | 21 | 12 | 8 | 2 | 22 | 536 | |
| Unspecified | 1 | ... | 1 | 1 | ... | 3 | 3 | 1 | 3 | 4 | 7 | 4 | 6 | 11 | 9 | 11 | 12 | 1 | 11 | 1 | ... | 11 | 98 | 1·92 |
| Totals from all Causes | 1400 | 557 | 226 | 138 | 66 | 2387 | 209 | 112 | 107 | 163 | 221 | 230 | 175 | 164 | 204 | 181 | 229 | 154 | 189 | 98 | 201 | 70 | 5094 | 100·00 |

H.

SUMMARY of DEATHS of BOTH SEXES registered in the Colony of NEW SOUTH WALES, during each Month of the Year 1867, classified under the heads of the several Causes of Death.

24-E

| CAUSES OF DEATH. | JANUARY. | | FEBRUARY. | | MARCH. | | APRIL. | | MAY. | | JUNE. | | JULY. | | AUGUST. | | SEPTEMBER. | | OCTOBER. | | NOVEMBER. | | DECEMBER. | | TOTAL. | | | |
|---|----------|----------|-----------|----------|--------|----------|--------|----------|--------|----------|--------|----------|--------|----------|---------|----------|------------|----------|----------|----------|-----------|----------|-----------|----------|--------------|-------|-------|--------|
| | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | GRAND TOTAL. | | | |
| I.—Zymotic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Miasmatic Diseases</i> —Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c. | 91 | 86 | 90 | 83 | 197 | 145 | 264 | 238 | 184 | 185 | 114 | 116 | 133 | 124 | 88 | 77 | 73 | 74 | 84 | 71 | 69 | 60 | 101 | 113 | 1,493 | 1,372 | 2,865 | 33·19 |
| 2. <i>Ethentic Diseases</i> —Syphilis, Gonorrhœa, &c. | 1 | 2 | 1 | 2 | 3 | 2 | 2 | 2 | 5 | 4 | 13 | 3 | 1 | 2 | 1 | 2 | 6 | 1 | 2 | 4 | 1 | 1 | 1 | 3 | 12 | 9 | 21 | 0·24 |
| 3. <i>Dietic Diseases</i> —Privation, Scurvy, Delirium Tremens, &c. | 7 | 4 | 14 | 2 | 7 | 1 | 8 | 3 | 3 | 3 | 1 | 3 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 7 | 1 | 25 | 103 | 1·19 |
| 4. <i>Parasitic Diseases</i> —Thrush, Worms, &c. | ... | 3 | 1 | 2 | 3 | 1 | 4 | 3 | 3 | ... | 1 | 3 | 2 | ... | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 3 | 2 | 20 | 19 | 39 | 0·45 |
| Total | 99 | 95 | 106 | 89 | 210 | 149 | 278 | 241 | 192 | 189 | 128 | 124 | 142 | 126 | 97 | 80 | 79 | 75 | 87 | 75 | 71 | 66 | 114 | 116 | 1,603 | 1,425 | 3,028 | |
| II.—Constitutional Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diathetic Diseases</i> —Gout, Dropsy, Cancer, &c. | 10 | 10 | 13 | 5 | 8 | 7 | 12 | 10 | 17 | 10 | 7 | 8 | 8 | 6 | 19 | 7 | 14 | 7 | 9 | 11 | 8 | 7 | 11 | 6 | 136 | 94 | 230 | 2·66 |
| 2. <i>Tubercular Diseases</i> —Scrofula, Phthisis, Hydrocephalus, &c. | 21 | 26 | 28 | 23 | 32 | 16 | 33 | 27 | 32 | 18 | 28 | 18 | 20 | 15 | 30 | 17 | 35 | 17 | 31 | 16 | 37 | 26 | 31 | 19 | 358 | 596 | 6·91 | |
| Total | 31 | 36 | 41 | 28 | 40 | 23 | 45 | 37 | 49 | 28 | 35 | 26 | 28 | 21 | 49 | 24 | 49 | 24 | 40 | 27 | 45 | 33 | 42 | 25 | 494 | 332 | 826 | |
| III.—Local Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of the Nervous System</i> —Apoplexy, Paralysis, Insanity, Cephalitis, Convulsions, Brain Disease, &c. | 69 | 36 | 56 | 27 | 66 | 40 | 56 | 47 | 52 | 39 | 38 | 24 | 43 | 40 | 40 | 24 | 48 | 27 | 54 | 29 | 43 | 34 | 59 | 34 | 624 | 401 | 1,025 | 11·88 |
| 2. <i>Diseases of the Organs of Circulation</i> —Pericarditis, Aneurism, Heart Disease | 22 | 4 | 18 | 6 | 21 | 10 | 14 | 8 | 19 | 6 | 20 | 7 | 19 | 9 | 24 | 5 | 18 | 10 | 20 | 5 | 14 | 6 | 23 | 4 | 232 | 80 | 312 | 3·62 |
| 3. <i>Diseases of the Respiratory System</i> —Bronchitis, Pneumonia, Asthma, Pleurisy, &c. | 28 | 26 | 29 | 19 | 27 | 24 | 37 | 17 | 39 | 32 | 41 | 30 | 42 | 36 | 48 | 26 | 31 | 28 | 30 | 22 | 28 | 20 | 41 | 32 | 421 | 312 | 733 | 8·49 |
| 4. <i>Diseases of the Digestive Organs</i> —Gastritis, Enteritis, Peritonitis, Hernia, &c. | 32 | 24 | 25 | 16 | 22 | 15 | 29 | 23 | 27 | 19 | 26 | 11 | 20 | 17 | 24 | 14 | 24 | 21 | 24 | 4 | 23 | 23 | 27 | 22 | 303 | 209 | 512 | 5·93 |
| 5. <i>Diseases of the Urinary Organs</i> —Nephritis, Ischuria, Diabetes, &c. | 6 | 1 | 5 | 1 | 1 | 3 | 6 | 2 | ... | 2 | 6 | 2 | 2 | 1 | 5 | 1 | 4 | 2 | 2 | 1 | 2 | 1 | 4 | 1 | 43 | 18 | 61 | 0·71 |
| 6. <i>Diseases of the Organs of Generation</i> —Ovarian Dropsy, Uterus Disease, &c. | ... | 2 | 1 | 2 | 1 | ... | 1 | ... | 2 | ... | 1 | ... | 1 | ... | 1 | ... | 1 | ... | 1 | ... | 1 | ... | 5 | ... | 23 | 23 | 0·27 | |
| 7. <i>Diseases of the Joints</i> —Arthritis, Ostitis, Periostitis, &c. | 2 | 1 | 2 | 1 | ... | ... | ... | ... | 1 | ... | 1 | ... | 1 | ... | 1 | ... | 1 | ... | 1 | ... | 1 | ... | 11 | 3 | 14 | 0·16 | | |
| 8. <i>Diseases of Integumentary System</i> —Phlegmon, Ulcer, Skin Disease, &c. | ... | ... | 1 | ... | 3 | 1 | 1 | ... | 1 | 2 | 1 | 1 | 1 | 1 | 4 | 1 | ... | 2 | 1 | 1 | ... | 13 | 11 | 24 | 0·28 | | | |
| Total | 159 | 94 | 136 | 70 | 140 | 94 | 145 | 97 | 139 | 101 | 132 | 77 | 127 | 107 | 143 | 74 | 126 | 94 | 131 | 66 | 112 | 85 | 157 | 98 | 1,647 | 1,057 | 2,704 | |
| IV.—Developmental Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Diseases of Children</i> —Cyanosis, Teething, &c. | 26 | 20 | 15 | 21 | 25 | 15 | 26 | 21 | 14 | 19 | 12 | 11 | 11 | 13 | 10 | 9 | 11 | 5 | 15 | 21 | 19 | 15 | 22 | 24 | 206 | 194 | 400 | 4·63 |
| 2. <i>Diseases of Adults</i> —Paramenia, Childbirth, &c. | ... | 2 | 4 | 11 | 2 | 14 | 1 | 6 | 3 | 11 | 4 | 12 | 7 | 12 | 6 | 17 | 9 | 13 | 8 | 6 | 5 | 15 | 7 | 27 | 371 | 266 | 637 | 0·03 |
| 3. <i>Diseases of Old People</i> —Old Age, &c. | 8 | 4 | 11 | 18 | 41 | 25 | 39 | 31 | 27 | 22 | 19 | 23 | 19 | 24 | 22 | 15 | 30 | 16 | 39 | 27 | 371 | 152 | 215 | 2·49 | | | | |
| 4. <i>Diseases of Nutrition</i> —Atrophy, Debility | 45 | 29 | 29 | 18 | 41 | 25 | 39 | 31 | 27 | 22 | 19 | 23 | 19 | 24 | 22 | 15 | 30 | 16 | 39 | 27 | 371 | 266 | 637 | 7·38 | | | | |
| Total | 79 | 55 | 55 | 41 | 80 | 41 | 71 | 55 | 52 | 50 | 46 | 37 | 46 | 39 | 51 | 32 | 46 | 28 | 51 | 52 | 64 | 38 | 88 | 58 | 729 | 526 | 1,255 | |
| V.—Violence. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. <i>Accident or Negligence</i> —Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c. | 47 | 8 | 34 | 9 | 36 | 8 | 32 | 8 | 51 | 11 | 34 | 8 | 56 | 15 | 30 | 17 | 34 | 8 | 30 | 11 | 44 | 3 | 56 | 12 | 484 | 118 | 602 | 6·98 |
| 2. <i>Wounds in Battle</i> —Gunshot Wounds, Sword, Bayonet, or other wounds | ... | ... | 1 | ... | ... | ... | ... | ... | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 3. <i>Homicide</i> —Murder and Manslaughter | 6 | ... | 1 | ... | ... | ... | ... | ... | 3 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 11 | ... | 11 | 0·13 |
| 4. <i>Suicide</i> —Poison, Drowning, Hanging, &c. | 4 | ... | 2 | ... | 1 | 1 | 4 | 1 | 3 | 1 | ... | 3 | ... | 7 | ... | 2 | ... | 2 | ... | 2 | ... | 5 | ... | 2 | 36 | 4 | 40 | 0·46 |
| 5. <i>Execution</i> —Hanging | ... | ... | ... | ... | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 4 | ... | 4 | ... | 0·05 |
| Total | 57 | 8 | 37 | 9 | 38 | 9 | 36 | 9 | 57 | 11 | 38 | 8 | 59 | 15 | 37 | 17 | 36 | 8 | 33 | 11 | 46 | 3 | 61 | 14 | 535 | 122 | 657 | |
| Unspecified | 6 | 2 | 7 | 3 | 14 | 6 | 9 | 3 | 9 | 4 | 10 | 6 | 11 | 3 | 10 | 5 | 7 | 4 | 10 | 5 | 8 | 5 | 13 | 1 | 114 | 47 | 161 | 1·87 |
| Total from all Causes | 431 | 290 | 382 | 240 | 522 | 322 | 584 | 442 | 498 | 383 | 389 | 278 | 413 | 311 | 387 | 232 | 343 | 233 | 352 | 236 | 346 | 230 | 475 | 312 | 5,122 | 3,509 | 8,631 | 100·00 |

I

TABLE shewing the DEATHS which have occurred from the causes stated, in each of the several WARDS of the CITY OF SYDNEY, from 1st January to 31st December, 1867, distinguishing those under five years of age.

| Causes of Death. | Gipps. | | | Bourke. | | | Brisbane. | | | Macquarie. | | | Cook. | | | Fitzroy. | | | Phillip. | | | Total Deaths from each Cause, in Sydney, 1865. | | | | |
|---------------------------------------|--------|-------|--------|---------|-------|--------|-----------|-------|--------|------------|-------|--------|--------|-------|--------|----------|-------|--------|----------|-------|--------|--|-----|-----|-----|-----|
| | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CLASS I.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Small-pox | 65 | 9 | 74 | 27 | 2 | 29 | 41 | 4 | 45 | 20 | 7 | 27 | 41 | 9 | 50 | 56 | 6 | 62 | 75 | 15 | 90 | 73 | 12 | 85 | 462 | |
| 2. Measles | | | | | | | | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 4 | 8 | 7 | 15 | 4 | 1 | 5 | 1 | 27 | 12 | 26 | 176 |
| 3. Scarletina | 5 | 1 | 6 | ... | ... | 3 | 1 | 4 | 1 | 1 | 2 | 4 | 2 | 6 | 10 | 4 | 14 | ... | ... | ... | 2 | 4 | 36 | 18 | 28 | 28 |
| Diphtheria | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4. Quinsy | 3 | ... | 3 | 4 | ... | 4 | 6 | ... | 6 | 1 | ... | 1 | 3 | ... | 3 | 4 | ... | 4 | 4 | 1 | 5 | 2 | 2 | 2 | 3 | |
| 5. Croup | 3 | ... | 3 | 4 | ... | 4 | 6 | ... | 6 | 1 | ... | 1 | 3 | ... | 3 | 4 | ... | 4 | 4 | 1 | 5 | 2 | 2 | 30 | 20 | |
| 6. Whooping-cough | 1 | ... | 1 | 5 | ... | 5 | 3 | ... | 3 | ... | ... | 8 | ... | 8 | 10 | ... | 10 | 2 | 1 | 3 | 4 | 4 | 34 | 12 | 30 | |
| 7. Typhus (and Infantile Fever) | 5 | 10 | 15 | 1 | 16 | 17 | 2 | 1 | 3 | 1 | 1 | 2 | 2 | 4 | 5 | 7 | 12 | 1 | 4 | 5 | 3 | 11 | 14 | 71 | 73 | 35 |
| 8. Erysipelas | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9. Metria | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 2 | 1 | 1 | 1 | 2 | 14 | 9 | |
| 10. Carbuncle | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11. Influenza | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12. Dysentery | 8 | 2 | 10 | 2 | 8 | 10 | 6 | 1 | 7 | 4 | 1 | 5 | 3 | 5 | 8 | 5 | 2 | 7 | 3 | 3 | 2 | 2 | 52 | 35 | 40 | |
| 13. Diarrhea | 22 | 3 | 25 | 11 | 6 | 17 | 20 | 2 | 22 | 12 | ... | 12 | 17 | 3 | 20 | 23 | 6 | 29 | 10 | 18 | 3 | 21 | 156 | 154 | 134 | |
| 14. Cholera | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15. Ague | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 16. Remittent Fever | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 17. Rheumatism | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 109 | 27 | 136 | 51 | 39 | 90 | 84 | 9 | 93 | 40 | 11 | 51 | 83 | 28 | 111 | 124 | 38 | 162 | 98 | 28 | 126 | 107 | 30 | 137 | 906 | |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Syphilis | | | | | | | | 1 | 1 | ... | ... | 1 | ... | 1 | ... | 1 | ... | 1 | 1 | ... | 1 | 1 | 5 | 7 | 6 | |
| 2. Stricture of the Urethra | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3. Hydrophobia | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4. Glanders | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | 1 | 1 | ... | ... | 1 | ... | 1 | ... | 1 | ... | 1 | 1 | ... | 1 | 1 | 5 | 13 | 6 | |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Privation | | | | | | | | 2 | 2 | ... | ... | | | | | | | | | | | | | | | |
| 2. Want of Breast Milk | 1 | 1 | 1 | ... | 1 | 1 | 1 | 1 | 1 | 1 | ... | 1 | 1 | 3 | ... | 3 | ... | 3 | ... | 1 | 1 | 4 | 6 | 7 | | |
| 3. Purpura and Scurvy | | | | | | | | | | | | | | | | | | | | | | | 1 | 2 | | |
| 4. Alcoholism— | | | | | | | | | | | | | | | | | | | | | | | 3 | 3 | | |
| a Delirium Tremens | | | | | | | | 3 | 3 | ... | ... | | | | | | | | | | | 1 | 1 | 10 | | |
| b Intemperance | | | | | | | | 1 | 1 | ... | ... | | | | | | | | | | | 1 | 1 | 14 | | |
| | 1 | ... | 1 | 1 | 6 | 7 | 2 | 2 | ... | ... | 1 | 1 | 3 | 1 | 4 | ... | ... | 2 | 2 | 17 | 37 | 43 | 23 | | | |
| ORDER 4. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Thrush | | | | | | | | | 2 | 2 | ... | ... | | | | | 1 | 1 | 2 | 3 | ... | 3 | 11 | 5 | 5 | |
| 2. Worms, &c., | | | | | | | | | 1 | 1 | ... | ... | | | | | 2 | 1 | 3 | ... | 4 | ... | 1 | 2 | 3 | |
| | | | | | | | | | 3 | 3 | ... | ... | | | | | 1 | 1 | 2 | 1 | 3 | ... | 7 | 12 | 8 | |
| TOTAL, CLASS I.... | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CLASS II.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Gout | | | | | | | | 6 | 6 | ... | 1 | 1 | 4 | 4 | 4 | 2 | 1 | 3 | 3 | 4 | 1 | 1 | 2 | 1 | 3 | |
| 2. Dropsy | 1 | 1 | 6 | 9 | 9 | 2 | 2 | 2 | 2 | ... | 1 | 1 | 3 | 3 | 3 | 2 | 2 | 5 | 4 | 4 | 5 | 19 | 17 | 10 | | |
| 3. Cancer | | | | | | | | | | | | | | | | | | | | | | | 23 | 16 | | |
| 4. Noma | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | | |
| 5. Mortification | | | | | | | | | | | | | | | | | | | | | | | 4 | 3 | | |
| | 1 | 1 | 1 | 16 | 16 | 1 | 3 | 4 | 4 | 4 | 4 | 2 | 3 | 5 | 1 | 8 | 9 | 1 | 1 | 3 | 3 | 43 | 45 | 40 | | |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Scrofula | 1 | 1 | 1 | 3 | 4 | ... | ... | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 11 | 15 | 10 | | |
| 2. Tabes Mesenterica | 3 | 1 | 3 | 1 | 1 | 1 | 4 | 1 | 4 | 4 | 2 | 2 | 5 | 5 | 4 | 4 | 5 | 4 | 5 | 4 | 5 | 25 | 25 | 15 | | |
| 3. Phthisis | 1 | 14 | 15 | 1 | 65 | 66 | 12 | 12 | 5 | 5 | 6 | 6 | 6 | 6 | 23 | 23 | 9 | 9 | 6 | 6 | 6 | 142 | 118 | 107 | | |
| 4. Hydrocephalus | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 12 | 11 | 21 | | |
| | 6 | 14 | 20 | 4 | 68 | 72 | 3 | 12 | 15 | 5 | 5 | 10 | 4 | 6 | 10 | 9 | 26 | 35 | 4 | 9 | 13 | 9 | 6 | 15 | 190 | |
| TOTAL, CLASS II.... | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CLASS III.—ORDER 1. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Cephalitis | 6 | 1 | 7 | 10 | 3 | 13 | 6 | 6 | 1 | 1 | 1 | 1 | 3 | 3 | 6 | 6 | 5 | 2 | 7 | 6 | 6 | 49 | 30 | 12 | | |
| 2. Apoplexy | 2 | 2 | 11 | 11 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 7 | 7 | 2 | 2 | 3 | 26 | 30 | 33 | | |
| 3. Paralysis | | | | | | | | | | | | | | | | | | | | | | | 22 | 17 | | |
| 4. Insanity | | | | | | | | | | | | | | | | | | | | | | | 1 | 4 | | |
| 5. Sunstroke | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 | | |
| 6. Chorea | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | | |
| 7. Epilepsy | | | | | | | | | | | | | | | | | | | | | | | 5 | 10 | | |
| 7. Convulsions | 9 | 9 | 5 | 5 | 12 | 12 | 6 | 6 | 19 | 19 | 19 | 27 | 27 | 12 | 12 | 15 | 15 | 15 | 105 | 73 | 60 | 108 | 73 | 60 | | |
| 8. Brain Disease, &c. | 1 | 2 | 3 | 6 | 3 | 3 | 3 | 1 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 2 | 5 | 26 | 27 | 41 | 40 | | |
| | 16 | 7 | 23 | 16 | 29 | 45 | 18 | 10 | 28 | 7 | 1 | 8 | 23 | 3 | 26 | 36 | 12 | 48 | 20 | 6 | 26 | 21 | 2 | 23 | 227 | |
| ORDER 2. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Pericarditis | | | | | | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | | |
| 2. Aneurism | 1 | 1 | 7 | 7 | 28 | 28 | 5 | 5 | 6 | 6 | 4 | 4 | 4 | 4 | 7 | 7 | 6 | 6 | 2 | 4 | 1 | 1 | 1 | | | |
| 3. Heart Disease, &c. | | | | | | | | | | | | | | | | | | | | | | | 64 | | | |
| | 3 | 3 | 36 | 36 | 6 | 6 | 6 | 6 | 6 | 6 | 4 | 4 | 4 | 4 | 7 | 7 | 7 | 7 | 2 | 7 | 9 | 78 | 76 | 66 | | |
| ORDER 3. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Laryngitis | 1 | 1 | 1 | 2 | 3 | 4 | 2 | 6 | 7 | 2 | 9 | 9 | 6 | 15 | 16 | 3 | 19 | 9 | 1 | 10 | 9 | 2 | 11 | 95 | | |
| 2. Bronchitis | 2 | 5 | 7 | 3 | 15 | 18 | 4 | 2 | 6 | 7 | 2 | 9 | 9 | 6 | 15 | 16 | 3 | 19 | 9 | 1 | | | | | | |

I—continued.

| Causes of Death. | Gipps. | | Bourke. | | Brisbane. | | Macquarie. | | Cook. | | Fitzroy. | | Phillip. | | Denison. | | | | | | | | | | | | | |
|--|--------|-------|---------|--------|-----------|--------|------------|-------|--------|--------|----------|--------|----------|-------|----------|--------|-------|--------|---|---|---|---|-----|-----|-----|-----|-----|-----|
| | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | Under. | Over. | Total. | Total Deaths from each Cause in Sydney, 1867. | Total Deaths from each Cause in Sydney, 1866. | Total Deaths from each Cause in Sydney, 1865. | Total Deaths from each Cause in Sydney, 1864. | | | | | | |
| ORDER 4—continued. Brought forward | 6 | 2 | 8 | 2 | 9 | 11 | 2 | 6 | 8 | 2 | ... | 2 | 4 | 4 | 8 | 4 | 6 | 10 | 1 | 3 | 4 | 6 | 1 | 7 | 58 | 45 | 49 | 64 |
| 9. Stricture of Intestines | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | ... | |
| 10. Fistula | ... | ... | ... | 2 | 2 | 1 | ... | 1 | ... | ... | ... | ... | 2 | 2 | 2 | 1 | 3 | 2 | ... | 2 | ... | ... | ... | 10 | 9 | 10 | 10 | |
| 11. Stomach Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 12. Pancreas Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 13. Hepatitis | ... | 2 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 2 | 3 | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | |
| 14. Jaundice | 1 | 8 | 9 | 8 | 8 | 16 | 3 | 3 | 6 | 2 | ... | 4 | 4 | 3 | 6 | 9 | ... | 2 | 2 | 1 | 1 | 38 | 31 | 28 | 48 | | | |
| 15. Liver Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | | |
| 16. Spleen Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 7 | 12 | 19 | 2 | 20 | 22 | 3 | 9 | 12 | 2 | 2 | 4 | 4 | 10 | 14 | 10 | 17 | 27 | 3 | 6 | 9 | 6 | 2 | 8 | 115 | 94 | 102 | 130 | |
| ORDER 5. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 1. Nephritis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | 3 | 5 | 2 | | |
| 2. Ischuria | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | 2 | 4 | 3 | | |
| 3. Nephria | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | | | |
| 4. Diabetes | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | | |
| 5. Stone | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | | | |
| 6. Cystitis | ... | 1 | 1 | 2 | 2 | ... | 1 | 1 | ... | ... | ... | 2 | 2 | 1 | ... | 1 | 1 | ... | ... | ... | ... | ... | 2 | 4 | 4 | | | |
| 7. Kidney Disease, &c. | ... | ... | 1 | 1 | 3 | 3 | 1 | 1 | ... | ... | 3 | 3 | 1 | ... | 1 | 1 | 1 | 2 | ... | 1 | 1 | 12 | 14 | 27 | 15 | | | |
| ORDER 6. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | ... | ... | ... | 1 | 3 | 1 | | | |
| 1. Ovarian Dropsey | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | 2 | 5 | 1 | | | |
| 2. Uterus Disease, &c. | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | ... | ... | ... | 3 | 8 | 1 | | | |
| ORDER 7. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | 1 | 1 | 2 | 6 | | |
| 1. Arthritis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | 1 | 6 | 2 | | | |
| 2. Joint Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 2 | ... | ... | ... | ... | ... | ... | ... | | | |
| ORDER 8. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | 1 | 1 | 1 | | | |
| 1. Phlegmon | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | 1 | 5 | 1 | | | |
| 2. Ulcer | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | 1 | 2 | ... | | | |
| 3. Skin Disease, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | 1 | 1 | 7 | | | |
| TOTAL, CLASS III..... | 32 | 39 | 71 | 22 | 117 | 139 | 28 | 32 | 60 | 17 | 14 | 31 | 40 | 34 | 74 | 65 | 51 | 116 | 33 | 28 | 61 | 43 | 17 | 60 | 612 | 542 | 504 | 593 |
| CLASS IV.—ORDER 1. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 6 | 6 | 2 | ... | ... | ... | ... | 2 | 23 | 23 | 20 | 30 | |
| 1. Premature Birth..... | 9 | ... | 9 | 2 | ... | 2 | 2 | ... | 2 | ... | ... | 6 | 6 | 2 | ... | 2 | ... | ... | ... | ... | ... | ... | 1 | ... | ... | ... | | |
| 2. Cyanosis | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 2 | | |
| 3. Spina Bifida | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 2 | ... | ... | ... | ... | ... | 3 | 9 | 5 | 2 | | |
| 4. Other Malformations | 5 | 7 | ... | 8 | 8 | 2 | ... | 2 | 9 | 9 | 11 | ... | 11 | 11 | ... | 11 | 8 | ... | 8 | 56 | 51 | 59 | 56 | 56 | | | | |
| 7 | 16 | 16 | 2 | 2 | 10 | 10 | 2 | 2 | 17 | 17 | 13 | ... | 13 | 12 | ... | 12 | 11 | ... | 11 | 83 | 84 | 87 | 92 | | | | | |
| ORDER 2. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 1 | 3 | 8 | 5 | | |
| 1. Paramenia | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 1 | 3 | 8 | 5 | | |
| 2. Childbirth (See Metria) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 2 | 3 | 8 | 5 | | |
| ORDER 3. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 2 | 3 | 8 | 5 | | |
| 1. Old Age | 5 | 5 | 13 | 13 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 9 | 9 | 1 | 1 | 2 | 2 | 33 | 33 | 37 | 33 | | | | |
| ORDER 4.* | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 18 | 31 | ... | 31 | 17 | ... | 17 | 123 | 126 | 81 | 98 | | |
| 1. Atrophy and Debility | 14 | 14 | 6 | 6 | 8 | 8 | 12 | 12 | 17 | 17 | 18 | ... | 18 | 31 | ... | 31 | 17 | ... | 17 | 123 | 126 | 81 | 98 | | | | | |
| TOTAL, CLASS IV..... | 30 | 5 | 35 | 8 | 13 | 21 | 18 | 1 | 19 | 14 | 1 | 15 | 34 | 2 | 36 | 31 | 10 | 41 | 43 | 1 | 44 | 28 | 2 | 30 | 241 | 246 | 213 | 228 |
| CLASS V.—ORDER 1.—ACCIDENT OR NEGLIGENCE. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 1. Fractures and Contusions | 3 | 3 | 13 | 13 | 2 | 2 | ... | ... | ... | ... | ... | 1 | 1 | 2 | ... | 2 | ... | ... | ... | ... | ... | ... | 2 | 23 | 32 | 27 | 31 | |
| 2. Wounds | 2 | 2 | 3 | 3 | 1 | 1 | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | 1 | 2 | ... | ... | ... | ... | ... | 6 | 6 | 3 | 13 | | |
| 3. Burns and Scalds | 7 | 7 | 1 | 1 | 1 | 1 | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | 1 | 1 | 2 | ... | ... | ... | ... | 11 | 9 | 12 | 14 | | |
| Sunstroke | 1 | 1 | 2 | 2 | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | | |
| 4. Poison | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 1 | |
| 5. Drowning | 4 | 4 | 10 | 10 | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 6 | 7 | 22 | 22 | 16 | | |
| 6. Suffocation | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 4 | 2 | 1 | | |
| 7. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 1 | 10 | 11 | 33 | 33 | 1 | 2 | 3 | 1 | 1 | 1 | 1 | 5 | 2 | 7 | 1 | 1 | 2 | 3 | 8 | 11 | 69 | 75 | 62 | 80 | | | | |
| ORDER 2.—VIOLENT DEATHS IN BATTLE. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 1. Gunshot Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 2. Sword and Bayonet Wounds | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 3. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| ORDER 3.—HOMICIDE. Murder and Manslaughter | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 3 | 3 | 3 | | |
| ORDER 4.—SUICIDE. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 1. Wounds— | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 4 | 3 | | |
| Gunshot | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 2 | 3 | 1 | | | |
| Cut, Stab, &c. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 1 | 1 | ... | 1 | 1 | ... | ... | ... | ... | ... | ... | 1 | 2 | 7 | | | |
| 2. Poison | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 3. Drowning | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 4. Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 5. Otherwise | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| ORDER 5.—EXECUTION. | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 2 | 2 | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| 1. Hanging | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | 3 | 3 | ... | ... | ... | ... | ... | ... | 3 | 3 | 3 | | |
| Violent Deaths (not classed) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| TOTAL, CLASS V..... | 1 | 10 | 11 | 34 | 34 | 1 | 2 | 3 | 1 | 2 | 3 | ... | 1 | 1 | 5 | 6 | 11 | 1 | 1 | 2 | 3 | 8 | 11 | 76 | 87 | 67 | 99 | |
| SUDDEN DEATHS (Cause unascertained) | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | | |
| Causes not specified or ill-defined | 10 | 10 | 16 | 16 | 3</td | | | | | | | | | | | | | | | | | | | | | | | |

J.

BIRTHS and DEATHS occurring at Sea, registered in the Colony of New South Wales from 1st January to 31st December, 1867.

| Where registered. | Births. | | | Deaths. | | |
|-----------------------|---------|----------|--------|---------|----------|--------|
| | Males. | Females. | Total. | Males. | Females. | Total. |
| Sydney | 3 | 1 | 4 | 29 | 7 | 36 |
| Newcastle | | | | 5 | | 5 |
| Total | 3 | 1 | 4 | 34 | 7 | 41 |

K.

A BILL TO AMEND THE MARRIAGE ACT.

Preamble.

WHEREAS it is expedient to amend the laws relating to marriage with a view to further restraining clandestine marriages Be it therefore enacted by the Queen's Most Excellent Majesty by and with the advice and consent of the Legislative Council and Legislative Assembly of New South Wales in Parliament assembled and by the authority of the same as follows :—

New certificate
of marriage and
form of declaration
substituted
for Schedules D
and E of 19 V.
No. 30.

1. The Schedules marked D and E annexed to the Act nineteenth Victoria number thirty being the form of Declaration before Surrogate District Registrar or Minister and the form of the certificate of marriage referred to in the fourth seventh and twenty-second sections of the said Act are hereby repealed and in the stead thereof the forms of declaration and certificate of marriage contained in the Schedules to this Act marked D and E shall for all intents and purposes be deemed to be the Schedules so referred to and shall be adopted and acted upon in all respects as if they were part and parcel of the said recited Act as well as of this Act.

Marriage by
Registrar to be
at his office.

2. Every marriage celebrated by any Registrar or District Registrar shall be celebrated between the hours of 10 A.M. and 4 P.M. in the office publicly used by him for the performance of his general duties as such Registrar or District Registrar and in no other building or place whatsoever and there only with open doors so that any person whosoever desiring to be present at the celebration of such marriage may have free access thereto.

Ten days' notice
of intended
marriage by
Registrar.

3. No marriage shall be celebrated by any Registrar or District Registrar until notice in writing of such marriage being intended together with the full christian and surnames of the parties thereto and of their respective residences and a statement of the day and hour fixed for such marriage shall have been during *ten clear days* next previously openly affixed to and exposed upon a board conspicuously placed outside the office in which such marriage is to be solemnized.

Penalty for
violation of Act.

4. Any Minister Registrar or District Registrar who shall celebrate any marriage contrary to any provision of this Act shall be liable for every such offence to a penalty not exceeding *fifty* pounds to be recovered before any two Justices.

5. The said recited Act and this Act shall be read together as one Act and shall be styled and may be cited as the "Marriage Act of 18—."

SCHEDULE D.

Declaration before Surrogate District Registrar or Minister.

I Thomas Williams of (*usual place of residence and designation or employment*) being { above } under the age of 21 years and being duly sworn do on my oath declare (*or if objecting to take an oath do solemnly and sincerely declare and affirm*) that I believe there is no impediment or lawful objection by reason of any kindred relationship or alliance or any former marriage or the want of consent of parents or guardians or any other lawful cause to my being married to (*Mary Edwards*) of (*usual place of residence and designation or employment*) daughter of (*James Edwards*) of (*usual or last place of residence and designation*).

(Signature of Thomas Williams.)

And I the said (*Mary Edwards*) of (*usual place of residence*) and being { above } under the age of 21 years do on my oath declare (*or do solemnly and sincerely declare and affirm*) that I believe there is no impediment or lawful objection by any such reason or other lawful cause as aforesaid to my being married to the said (*Thomas Williams*).

(Signature of Mary Edwards.)

Declared and sworn (*or and affirmed*) by both the parties named this day of 18 before me—

(Signature and designation.)

SCHEDULE E.

VITAL STATISTICS.

37

SCHEDULE E.

Certificate of Marriage.

Christian and surname of Minister at full length.

Husband.

Christian and surname of husband at full length.

Rank or occupation.

Residence.

Father's name rank or profession.

Mother's name maiden sur-name.

Witnesses' names.

I, being _____ do hereby certify that I have this day at _____ duly celebrated marriage between _____ and _____ { Condition Bachelor } or widower. residence _____ Age _____ years Birthplace _____ and _____ before _____ and _____ after declaration duly made as by law required.

Dated this _____ day of _____ 18 _____

Signature of parties to { _____ the marriage. Signature of Minister _____ witnesses. _____

L.

RETURN of the REGISTRATION DISTRICTS, with the Names of the Persons holding the office of District Registrar, and Dates of Appointment.

| District. | Name of Registrar. | Date of Appointment. |
|----------------------------------|---------------------------------------|----------------------|
| 1. Sydney ... | The Registrar General ... | 10 Nov., 1864. |
| 2. Balmain ... | William Parker, Chemist ... | 1 July, 1861. |
| 3. Newtown ... | C. A. Newman ... | 9 April, 1857. |
| 4. Glebe ... | John T. Morgan ... | 1 April, 1868. |
| 5. Redfern and Botany ... | Christopher Warburton ... | 30 Oct., 1865. |
| 6. Paddington and Alexandria ... | Henry Gale ... | 1 July, 1863. |
| 7. Concord ... | John Watts, Schoolmaster ... | 3 Sept., 1860. |
| 8. St. George ... | T. H. Bolger ... | 13 Oct., 1866. |
| 9. St. Leonards ... | R. D. Ward, Surgeon ... | 28 Feb., 1856. |
| COUNTRY DISTRICTS. | | |
| 10. Albury ... | Thomas H. Stone, Postmaster ... | 1 July, 1866. |
| 11. Armidale ... | W. H. Mutlow, Chemist ... | 11 Sept., 1860. |
| 12. Balranald { Hay ... | James Forsythe, C.P.S. ... | 3 Oct., 1862. |
| Balranald ... | R. B. Mitchell, C.P.S. ... | 7 Feb., 1867. |
| Bourke ... | John Garrett, P.M. ... | 10 July, 1862. |
| Wentworth ... | John Davie ... | 12 Dec., 1861. |
| 13. Bathurst ... | James Beuzeville ... | 28 Feb., 1856. |
| 14. Berrima ... | G. H. Rowley, P.M. ... | 10 Sept., 1860. |
| 15. Binalong } Young ... | Jeremiah Hough ... | 14 Feb., 1859. |
| Young } ... | John M'Innes ... | 2 Sept., 1867. |
| 16. Bombala ... | William H. Thomas, C.P.S. ... | 26 Mar., 1866. |
| 17. Braidwood ... | Henry Matthews ... | 9 Jan., 1862. |
| 18. Brisbane Water ... | Thymas Cade Battley, C.P.S. ... | 9 July, 1856. |
| 19. Broulee ... | W. Stewart Caswell, P.M. ... | 28 Feb., 1856. |
| 20. Camden ... | John Benson Martin, C.P.S. ... | 14 Aug., 1856. |
| 21. Campbelltown ... | George R. Evans, Schoolmaster ... | 1 Oct., 1859. |
| 22. Carcoar ... | Edward James C. North, C.P.S. ... | 1 May, 1865. |
| 23. Cassilis ... | John Morris, C.P.S. ... | 26 Mar., 1856. |
| 24. Clarence Town ... | David Farquhar ... | 30 Mar., 1857. |
| 25. Cooma ... | Edmund Hewison, Schoolmaster ... | 2 Oct., 1865. |
| 26. Deniliquin ... | John Archer Broughton, C.P.S. ... | 23 Jan., 1865. |
| 27. Dubbo } Coonabarabran ... | Luke M'Guinn, C.P.S. ... | 1 Aug., 1863. |
| Dungog ... | Frederick W. Edwards, C.P.S. ... | 25 Nov., 1863. |
| 29. Eden ... | Henry Gordon, C.P.S. ... | 1 Nov., 1859. |
| 30. Goulburn ... | Christopher Dunkin Hays, C.P.S. ... | 3 Aug., 1865. |
| 31. Grafton ... | Charles S. Alexander, C.P.S. ... | 31 Mar., 1862. |
| 32. Gundagai ... | Archibald Scott Smith, Postmaster ... | 4 Jan., 1864. |
| 33. Hartley ... | Daniel M. O'Hara, M.D. ... | 20 July, 1865. |
| 34. Inverell ... | J. W. A. White, C.P.S. ... | 1 April, 1866. |
| 35. Kiama ... | Henry Connell, C.P.S. ... | 13 Aug., 1867. |
| 36. Liverpool ... | William Long, Schoolmaster ... | 5 June, 1863. |
| 37. Manning River ... | Jasper Creagh, C.P.S. ... | 8 June, 1866. |
| 38. M'Donald River ... | John Pescud, Postmaster ... | 15 May, 1856. |
| 39. Macleay River ... | W. H. Thornton ... | 21 Feb., 1859. |
| 40. Maitland ... | Daniel Carter ... | 29 June, 1857. |
| 41. Moama ... | George Maunsell, P.M. ... | 14 Aug., 1856. |
| | | 26 Feb., 1861. |

L—*continued.*RETURN of REGISTRATION DISTRICTS, &c.—*continued.*

| District. | Name of Registrar. | Date of Appointment. |
|--|---|----------------------|
| COUNTRY DISTRICTS—<i>continued.</i> | | |
| 42. Molong { | Andrew Ross, M.D.... | 29 June, 1857. |
| Forbes } | W. F. Parker, C.P.S.... | 26 May, 1862. |
| 43. Morpeth | John Keating | 1 July, 1858. |
| 44. Moulamein | Thomas Linton | 13 July, 1860. |
| 45. Mudgee | Stafford Henry Barnes | 24 Dec., 1860. |
| 46. Murrurundi | Henry Wheeler, Postmaster | 1 April, 1858. |
| 47. Muswellbrook and Merton | Timothy Foley, C.P.S.... | 1 Dec., 1867. |
| 48. Newcastle | John Burrowes, T.C.... | 28 Feb., 1856. |
| 49. Nundle... | W. H. Porter | 13 Aug., 1867. |
| 50. Orange... | W. T. Evans, C.P.S.... | 20 Feb., 1856. |
| 51. Parramatta | Percy Simpson | 28 Feb., 1856. |
| 52. Paterson | B. Newbury, Surgeon | 22 Mar., 1858. |
| 53. Patrick's Plains | Christian Poppenhagen | 31 Mar., 1860. |
| 54. Penrith | George T. Clarke, J.P.... | 20 Feb., 1856. |
| 55. Picton ... | William R. Antill | 30 Mar., 1857. |
| 56. Port Macquarie | James P. Ormiston, C.P.S.... | 10 Nov., 1866. |
| 57. Port Stephens... | Henry Skillman, Schoolmaster | 26 Mar., 1856. |
| 58. Queanbeyan ... | Charles E. Newcombe, P.M.... | 1 Oct., 1857. |
| 59. Raymond Terrace | William Gloag | 28 Feb., 1856. |
| 60. Richmond | John Ducke... | 5 Feb., 1862. |
| 61. Richmond River { | Charles Moore, C.P.S.... | 12 July, 1856. |
| Tweed } | James Bray, Assistant Registrar | 14 Oct., 1866. |
| 62. Ryde ... | George Miller Pope, C.P.S.... | 30 Mar., 1857. |
| 63. Rylstone | W. W. Armstrong, C.P.S.... | 5 Mar., 1857. |
| 64. Scone ... | Frederick Robertson Wilshire, C.P.S.... | 14 Nov., 1865. |
| 65. Shoalhaven | James Aldcorn, J.P.... | 28 Feb., 1856. |
| 66. Sofala ... | Moritz Mendel | 1 Aug., 1868. |
| 67. Tambaroora | Thomas Paten | 6 Jan., 1858. |
| 68. Tamworth | John McDonald, C.P.S.... | 9 May, 1859. |
| 69. Tenterfield | E. R. Whereat | 1 Nov., 1866. |
| 70. Tumut ... | Henry Hilton | 20 Feb., 1856. |
| 71. Ulladulla | John Done | 31 Dec., 1857. |
| 72. Wagga Wagga | Allan B. Morgan, M.D.... | 16 Dec., 1857. |
| 73. Walgett | Thomas Betteridge, P.M.... | 1 Jan., 1867. |
| 74. Warialda | Richard H. Fitzsimons, C.P.S.... | 22 Nov., 1867. |
| 75. Wee Waa | C. E. Smith, P.M.... | 16 May, 1859. |
| 76. Wellingrove | George Cobley | 5 May, 1862. |
| 77. Wellington | Frederick Marsh, C.P.S.... | 28 April, 1862. |
| 78. Windsor | George Walker | 19 Mar., 1860. |
| 79. Wollombi | Thomas S. Townshend | 31 Mar., 1862. |
| 80. Wollongong ... | George Hewlett | 1 July, 1868. |
| 81. Yass ... | John Harper... | 1 July, 1866. |